Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

Data: 9 gennaio 2025

Il presente documento annulla e sostituisce i precedenti.

AUTOCERTIFICAZIONE DEL COSTRUTTORE

(ai sensi del D.M. 16 febbraio 2016 e del D.P.R. n. 445/2000)

La sottoscritta società Toshiba Italia Multiclima Div. Di Beijer Ref Italy S.r.l., dichiara che gli apparecchi della seguente tipologia[1] 2.A Pompe di calore elettriche, elencati in allegato e immessi sul mercato dalla stessa, soddisfano:

- i requisiti di cui all'Allegato I del DM 16 Febbraio 2016 per l'accesso al Catalogo degli apparecchi domestici;

- i requisiti tecnici, richiesti nel DM 16 Febbraio 2016**, misurati secondo le metodologie previste dalla specifica normativa tecnica di riferimento:**

1.C) Generatori di calore		
- Generatori di calore a condensazione	UNI EN 15502	☐
- Generatori di calore a condensazione ad aria	UNI EN 1020	☐
2.A) Pompe di calore		
- Pompe di calore elettriche	UNI EN 14511	☒
- Pompe di calore a gas ad assorbimento	UNI EN 12309	☐
- Pompe di calore a gas a motore endotermico	UNI EN 14511	☐
2.B) Generatori a biomassa[2]		
- Caldaie a biomassa	UNI EN 303-5 classe 5 (η; PP; CO)	☐
- Stufe e termocamini a pellet	UNI EN 14785 (η; CO) / UNI CEN/TS 15883(PP)	☐
- Termocamini a legna	UNI EN 13229 (η; CO) / UNI CEN/TS 15883(PP)	☐
- Stufe a legna	UNI EN 13240 (η; CO) / UNI CEN/TS 15883(PP)	☐
2.C) Solare termico		
- Collettori solari	UNI EN ISO 9806	☐
- Impianti prefabbricati Factory Made	UNI EN 12976	☐
2.D) Scaldacqua a pompa di calore	UNI EN 16147	☐
2.E) Sistemi ibridi a pompa di calore		
- Generatore di calore a condensazione + + Pompa di calore elettrica	UNI EN 15502 / UNI EN 14511	☐
- Generatore di calore a condensazione + + Pompa di calore a gas ad assorbimento	UNI EN 15502 / UNI EN 12309	☐
- Generatore di calore a condensazione + + Pompa di calore a gas a motore endotermico	UNI EN 15502 / UNI EN 14511	☐

Daniele Spizzotin – General Manager Toshiba Italia Multiclima…….

[1] Indicare solo una delle tipologie sopra elencate, specificando: tipo di intervento - tipo di apparecchio (esempi: 2.A - Pompe di calore elettriche; 2.C - Impianti prefabbricati Factory Made; 2.B - Caldaie a biomassa)

[2] Le emissioni di particolato primario (PP) e di monossido di carbonio (CO) sono determinate con i metodi previsti dalle norme tecniche specifiche per ogni tipologia 2.B, in riferimento al 13% di O_2. η è il rendimento.

* Altre norme tecniche di riferimento applicabili sono disciplinate, per ogni caso, dagli specifici adeguamenti normativi in essere.

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

Data: 9 gennaio 2025

AUTOCERTIFICAZIONE DEL COSTRUTTORE

(ai sensi del D.M. 16 febbraio 2016 e del D.P.R. n. 445/2000)

ALLEGATO A

ELENCO APPARECCHI CONFORMI AL CONTO TERMICO
(con relativi dati tecnici)

Daniele Spizzotin – General Manager Toshiba Italia Multiclima……

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSe taglia 12	MMY-MAP1206HT8P-E	37,50	**3,89**	si
Toshiba	SMMSe taglia 12 Heavy Protection	MMY-MAP1206HT8JP-E	37,50	**3,89**	si
Toshiba	SMMSe taglia 14	MMY-MAP1406HT8P-E	45,00	**4,02**	si
Toshiba	SMMSe taglia 14 Heavy Protection	MMY-MAP1406HT8JP-E	45,00	**4,02**	si
Toshiba	SMMSe taglia 16	MMY-MAP1606HT8P-E	50,00	**3,88**	si
Toshiba	SMMSe taglia 16 Heavy Protection	MMY-MAP1606HT8JP-E	50,00	**3,88**	si
Toshiba	SMMSe taglia 18	MMY-MAP1806HT8P-E	56,00	**3,97**	si
Toshiba	SMMSe taglia 18 Heavy Protection	MMY-MAP1806HT8JP-E	56,00	**3,97**	si
Toshiba	SMMSe taglia 20	MMY-MAP2006HT8P-E	63,00	**3,71**	si
Toshiba	SMMSe taglia 20 Heavy Protection	MMY-MAP2006HT8JP-E	63,00	**3,71**	si
Toshiba	SMMSe taglia 20 Alta Efficienza	MMY-AP2026HT8P-E	63,00	**4,25**	si
Toshiba	SMMSe taglia 20 Alta Efficienza Heavy protection	MMY-AP2026HT8JP-E	63,00	**4,25**	si
Toshiba	SMMSe taglia 22 Alta Efficienza	MMY-AP2226HT8P-E	69,00	**4,04**	si
Toshiba	SMMSe taglia 22 Alta Efficienza Heavy protection	MMY-AP2226HT8JP-E	69,00	**4,04**	si
Toshiba	SMMSe taglia 24	MMY-AP2416HT8P-E	75,00	**3,89**	si
Toshiba	SMMSe taglia 24 Heavy Protection	MMY-AP2416HT8JP-E	75,00	**3,89**	si
Toshiba	SMMSe taglia 26	MMY-AP2616HT8P-E	82,50	**3,96**	si
Toshiba	SMMSe taglia 26 Heavy Protection	MMY-AP2616HT8JP-E	82,50	**3,96**	si
Toshiba	SMMSe taglia 28	MMY-AP2816HT8P-E	87,50	**3,88**	si
Toshiba	SMMSe taglia 28 Heavy Protection	MMY-AP2816HT8JP-E	87,50	**3,88**	si
Toshiba	SMMSe taglia 30	MMY-AP3016HT8P-E	95,00	**3,94**	si
Toshiba	SMMSe taglia 30 Heavy Protection	MMY-AP3016HT8JP-E	95,00	**3,94**	si
Toshiba	SMMSe taglia 32	MMY-AP3216HT8P-E	100,00	**3,88**	si
Toshiba	SMMSe taglia 32 Heavy Protection	MMY-AP3216HT8JP-E	100,00	**3,88**	si
Toshiba	SMMSe taglia 34	MMY-AP3416HT8P-E	106,00	**3,93**	si
Toshiba	SMMSe taglia 34 Heavy Protection	MMY-AP3416HT8JP-E	106,00	**3,93**	si
Toshiba	SMMSe taglia 36	MMY-AP3616HT8P-E	113,00	**3,78**	si
Toshiba	SMMSe taglia 36 Heavy Protection	MMY-AP3616HT8JP-E	113,00	**3,78**	si
Toshiba	SMMSe taglia 36 Alta Efficienza	MMY-AP3626HT8P-E	112,50	**3,89**	si
Toshiba	SMMSe taglia 36 Alta Efficienza Heavy protection	MMY-AP3626HT8JP-E	112,50	**3,89**	si
Toshiba	SMMSe taglia 38	MMY-AP3836HT8P-E	119,00	**3,83**	si
Toshiba	SMMSe taglia 38 Heavy protection	MMY-AP3836HT8JP-E	119,00	**3,83**	si
Toshiba	SMMSe taglia 38 Alta Efficienza	MMY-AP3826HT8P-E	120,00	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSe taglia 38 Alta Efficienza Heavy protection	MMY-AP3826HT8JP-E	120,00	**3,93**	si
Toshiba	SMMSe taglia 40	MMY-AP4016HT8P-E	126,00	**3,71**	si
Toshiba	SMMSe taglia 40 Heavy Protection	MMY-AP4016HT8JP-E	126,00	**3,71**	si
Toshiba	SMMSe taglia 40 Alta Efficienza	MMY-AP4026HT8P-E	127,50	**3,98**	si
Toshiba	SMMSe taglia 40 Alta Efficienza Heavy protection	MMY-AP4026HT8JP-E	127,50	**3,98**	si
Toshiba	SMMSe taglia 42 Alta Efficienza	MMY-AP4226HT8P-E	135,00	**4,02**	si
Toshiba	SMMSe taglia 42 Alta Efficienza Heavy protection	MMY-AP4226HT8JP-E	135,00	**4,02**	si
Toshiba	SMMSe taglia 44 Alta Efficienza	MMY-AP4426HT8P-E	140,00	**3,97**	si
Toshiba	SMMSe taglia 44 Alta Efficienza Heavy protection	MMY-AP4426HT8JP-E	140,00	**3,97**	si
Toshiba	SMMSe taglia 46	MMY-AP4616HT8P-E	145,00	**3,92**	si
Toshiba	SMMSe taglia 46 Heavy Protection	MMY-AP4616HT8JP-E	145,00	**3,92**	si
Toshiba	SMMSe taglia 48	MMY-AP4816HT8P-E	150,00	**3,88**	si
Toshiba	SMMSe taglia 48 Heavy Protection	MMY-AP4816HT8JP-E	150,00	**3,88**	si
Toshiba	SMMSe taglia 50	MMY-AP5016HT8P-E	156,00	**3,91**	si
Toshiba	SMMSe taglia 50 Heavy Protection	MMY-AP5016HT8JP-E	156,00	**3,91**	si
Toshiba	SMMSe taglia 52	MMY-AP5216HT8P-E	163,00	**3,81**	si
Toshiba	SMMSe taglia 52 Heavy Protection	MMY-AP5216HT8JP-E	163,00	**3,81**	si
Toshiba	SMMSe taglia 54 Alta Efficienza	MMY-AP5426HT8P-E	171,00	**3,78**	si
Toshiba	SMMSe taglia 54 Alta Efficienza Heavy protection	MMY-AP5426HT8JP-E	171,00	**3,78**	si
Toshiba	SMMSe taglia 56	MMY-AP5616HT8P-E	176,00	**3,75**	si
Toshiba	SMMSe taglia 56 Heavy Protection	MMY-AP5616HT8JP-E	176,00	**3,75**	si
Toshiba	SHRMa taglia 14	MMY-SUG1401MT8P-E	40,00	**3,89**	si
Toshiba	SHRMa taglia 14 Heavy Protection	MMY-SUG1401MT8JP-E	40,00	**3,89**	si
Toshiba	SHRMa taglia 16	MMY-SUG1601MT8P-E	45,00	**4,07**	si
Toshiba	SHRMa taglia 16 Heavy Protection	MMY-SUG1601MT8JP-E	45,00	**4,07**	si
Toshiba	SHRMa taglia 20	MMY-SUG2001MT8P-E	56,00	**3,93**	si
Toshiba	SHRMa taglia 20 Heavy Protection	MMY-SUG2001MT8JP-E	56,00	**3,93**	si
Toshiba	SHRMa taglia 22	MMY-SUG2201MT8P-E	61,50	**3,82**	si
Toshiba	SHRMa taglia 22 Heavy Protection	MMY-SUG2201MT8JP-E	61,50	**3,82**	si
Toshiba	SHRMe taglia 14	MMY-MAP1406FT8P-E	40,00	**3,80**	si
Toshiba	SHRMe taglia 14 Heavy Protection	MMY-MAP1406FT8JP-E	40,00	**3,80**	si
Toshiba	SHRMe taglia 22 MMY-AP2216FT8P-E	MMY-AP1206FT8P-E+MMY-MAP1006FT8P-E	61,50	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SHRMe taglia 22 MMY-AP2216FT8JP-E Heavy Protection	MMY-AP1206FT8JP-E+MMY-MAP1006FT8JP-E	61,50	**3,90**	si
Toshiba	SHRMe taglia 24 MMY-AP2416FT8P-E	MMY-AP1406FT8P-E+MMY-MAP1006FT8P-E	68,00	**3,87**	si
Toshiba	SHRMe taglia 24 MMY-AP2416FT8JP-E Heavy Protection	MMY-AP1406FT8JP-E+MMY-MAP1006FT8JP-E	68,00	**3,87**	si
Toshiba	SHRMe taglia 26 MMY-AP2616FT8P-E	MMY-AP1406FT8P-E+MMY-MAP1206FT8P-E	73,50	**3,83**	si
Toshiba	SHRMe taglia 26 MMY-AP2616FT8JP-E Heavy Protection	MMY-AP1406FT8JP-E+MMY-MAP1206FT8JP-E	73,50	**3,83**	si
Toshiba	SHRMe taglia 28 MMY-AP2816FT8P-E	MMY-AP1406FT8P-E+MMY-MAP1406FT8P-E	80,00	**3,81**	si
Toshiba	SHRMe taglia 28 MMY-AP2816FT8JP-E Heavy Protection	MMY-AP1406FT8JP-E+MMY-MAP1406FT8JP-E	80,00	**3,81**	si
Toshiba	SHRMe taglia 30 MMY-AP3016FT8P-E	MMY-AP1606FT8P-E+MMY-MAP1406FT8P-E	85,00	**3,74**	si
Toshiba	SHRMe taglia 30 MMY-AP3016FT8JP-E Heavy Protection	MMY-AP1606FT8JP-E+MMY-MAP1406FT8JP-E	85,00	**3,74**	si
Toshiba	SHRMe taglia 42 MMY-AP4216FT8P-E	MMY-MAP1406FT8P-E+MMY-MAP1406FT8P-E+MMY-MAP1406FT8P-E	120,00	**3,81**	si
Toshiba	SHRMe taglia 42 MMY-AP4216FT8JP-E Heavy Protection	MMY-MAP1406FT8JP-E+MMY-MAP1406FT8JP-E+MMY-MAP1406FT8JP-E	120,00	**3,81**	si
Toshiba	SHRMe taglia 44 MMY-AP4416FT8P-E	MMY-MAP1606FT8P-E+MMY-MAP1406FT8P-E+MMY-MAP1406FT8P-E	125,00	**3,77**	si
Toshiba	SHRMe taglia 44 MMY-AP4416FT8JP-E Heavy Protection	MMY-MAP1606FT8JP-E+MMY-MAP1406FT8JP-E+MMY-MAP1406FT8JP-E	125,00	**3,77**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SHRMe taglia 46 MMY-AP4616FT8P-E	MMY-MAP1806FT8P-E+MMY-MAP1406FT8P-E+MMY-MAP1406FT8P-E	130,40	**3,76**	si
Toshiba	SHRMe taglia 46 MMY-AP4616FT8JP-E Heavy Protection	MMY-MAP1806FT8JP-E+MMY-MAP1406FT8JP-E+MMY-MAP1406FT8JP-E	130,40	**3,76**	si
Toshiba	SMMSu 14 HP	MMY-MUP1401HT8P-E	40,0	**4,60**	si
Toshiba	SMMSu 16 HP	MMY-MUP1601HT8P-E	45,0	**4,23**	si
Toshiba	SMMSu 18 HP	MMY-MUP1801HT8P-E	50,4	**4,23**	si
Toshiba	SMMSu 20 HP	MMY-MUP2001HT8P-E	56,0	**3,80**	si
Toshiba	SMMSu 22 HP	MMY-MUP2201HT8P-E	61,5	**3,80**	si
Toshiba	SMMSu 16 HP	MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	44,80	**4,88**	si
Toshiba	SMMSu 18 HP	MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	50,40	**4,71**	si
Toshiba	SMMSu 20 HP	MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	55,90	**4,57**	si
Toshiba	SMMSu 20 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	56,00	**4,59**	si
Toshiba	SMMSu 22 HP	MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	62,40	**4,70**	si
Toshiba	SMMSu 22 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	61,50	**4,48**	si
Toshiba	SMMSu 24 HP	MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	67,40	**4,43**	si
Toshiba	SMMSu 24 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	68,00	**4,60**	si
Toshiba	SMMSu 24 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	67,00	**4,39**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 24 HP	MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	67,20	**4,88**	si
Toshiba	SMMSu 26 HP	MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	72,80	**4,41**	si
Toshiba	SMMSu 26 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	73,00	**4,36**	si
Toshiba	SMMSu 26 HP	MMY-MUP1401HT8P-E+MMY-MUP201HT8P-E	73,50	**4,50**	si
Toshiba	SMMSu 26 HP	MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	72,80	**4,76**	si
Toshiba	SMMSu 28 HP	MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	78,40	**4,06**	si
Toshiba	SMMSu 28 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	78,40	**4,35**	si
Toshiba	SMMSu 28 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	78,50	**4,30**	si
Toshiba	SMMSu 28 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	80,00	**4,60**	si
Toshiba	SMMSu 28 HP	MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	78,30	**4,66**	si
Toshiba	SMMSu 28 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	78,40	**4,67**	si
Toshiba	SMMSu 30 HP	MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	83,90	**4,04**	si
Toshiba	SMMSu 30 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	84,00	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 30 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	83,90	**4,29**	si
Toshiba	SMMSu 30 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	85,00	**4,40**	si
Toshiba	SMMSu 30 HP	MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	84,80	**4,74**	si
Toshiba	SMMSu 30 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	83,90	**4,58**	si
Toshiba	SMMSu 30 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	84,00	**4,59**	si
Toshiba	SMMSu 32 HP	MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E	89,40	**3,90**	si
Toshiba	SMMSu 32 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	89,50	**4,02**	si
Toshiba	SMMSu 32 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	89,50	**4,00**	si
Toshiba	SMMSu 32 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	90,40	**4,39**	si
Toshiba	SMMSu 32 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	90,00	**4,23**	si
Toshiba	SMMSu 32 HP	MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	89,80	**4,53**	si
Toshiba	SMMSu 32 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	90,40	**4,66**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 32 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	89,40	**4,50**	si
Toshiba	SMMSu 32 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	89,50	**4,51**	si
Toshiba	SMMSu 32 HP	MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	89,60	**4,88**	si
Toshiba	SMMSu 34 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E	95,00	**3,88**	si
Toshiba	SMMSu 34 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	95,00	**3,99**	si
Toshiba	SMMSu 34 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	96,00	**4,10**	si
Toshiba	SMMSu 34 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	95,40	**4,23**	si
Toshiba	SMMSu 34 HP	MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	95,20	**4,51**	si
Toshiba	SMMSu 34 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	95,40	**4,47**	si
Toshiba	SMMSu 34 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	95,90	**4,58**	si
Toshiba	SMMSu 34 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	96,00	**4,59**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 34 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	95,00	**4,45**	si
Toshiba	SMMSu 34 HP	MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	95,20	**4,79**	si
Toshiba	SMMSu 36 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E	100,50	**3,87**	si
Toshiba	SMMSu 36 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	101,50	**4,08**	si
Toshiba	SMMSu 36 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	101,00	**3,98**	si
Toshiba	SMMSu 36 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	100,80	**4,23**	si
Toshiba	SMMSu 36 HP	MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	100,80	**4,21**	si
Toshiba	SMMSu 36 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	100,80	**4,46**	si
Toshiba	SMMSu 36 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	100,90	**4,41**	si
Toshiba	SMMSu 36 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	102,40	**4,66**	si
Toshiba	SMMSu 36 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	101,00	**4,42**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 36 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	101,50	**4,53**	si
Toshiba	SMMSu 36 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	100,50	**4,39**	si
Toshiba	SMMSu 36 HP	MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	100,70	**4,71**	si
Toshiba	SMMSu 36 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	100,80	**4,71**	si
Toshiba	SMMSu 38 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E	107,00	**3,96**	si
Toshiba	SMMSu 38 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	106,50	**3,97**	si
Toshiba	SMMSu 38 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	106,40	**3,99**	si
Toshiba	SMMSu 38 HP	MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	106,30	**4,19**	si
Toshiba	SMMSu 38 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	106,40	**4,18**	si
Toshiba	SMMSu 38 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	106,30	**4,40**	si
Toshiba	SMMSu 38 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	107,40	**4,49**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 38 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	106,40	**4,41**	si
Toshiba	SMMSu 38 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	106,50	**4,37**	si
Toshiba	SMMSu 38 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	108,00	**4,60**	si
Toshiba	SMMSu 38 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	107,00	**4,47**	si
Toshiba	SMMSu 38 HP	MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	107,20	**4,77**	si
Toshiba	SMMSu 38 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	106,30	**4,64**	si
Toshiba	SMMSu 38 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	106,40	**4,65**	si
Toshiba	SMMSu 40 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E	112,00	**3,86**	si
Toshiba	SMMSu 40 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	111,90	**3,98**	si
Toshiba	SMMSu 40 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	112,00	**3,80**	si
Toshiba	SMMSu 40 HP	MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-	111,80	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 40 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	111,90	**4,16**	si
Toshiba	SMMSu 40 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	111,90	**4,15**	si
Toshiba	SMMSu 40 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	112,80	**4,48**	si
Toshiba	SMMSu 40 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	112,40	**4,35**	si
Toshiba	SMMSu 40 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	112,00	**4,16**	si
Toshiba	SMMSu 40 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	111,90	**4,36**	si
Toshiba	SMMSu 40 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	113,00	**4,44**	si
Toshiba	SMMSu 40 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	112,00	**4,32**	si
Toshiba	SMMSu 40 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	113,50	**4,54**	si
Toshiba	SMMSu 40 HP	MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-	112,20	**4,60**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 40 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	112,80	**4,70**	si
Toshiba	SMMSu 40 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	111,80	**4,57**	si
Toshiba	SMMSu 40 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	111,90	**4,58**	si
Toshiba	SMMSu 40 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	112,00	**4,59**	si
Toshiba	SMMSu 40 HP	MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	112,00	**4,88**	si
Toshiba	SMMSu 42 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E	117,40	**3,88**	si
Toshiba	SMMSu 42 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E	117,50	**3,80**	si
Toshiba	SMMSu 42 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	117,40	**4,04**	si
Toshiba	SMMSu 42 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-	117,40	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 42 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	118,40	**4,23**	si
Toshiba	SMMSu 42 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	117,80	**4,34**	si
Toshiba	SMMSu 42 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	117,50	**4,14**	si
Toshiba	SMMSu 42 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	117,50	**4,13**	si
Toshiba	SMMSu 42 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	118,40	**4,43**	si
Toshiba	SMMSu 42 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	118,00	**4,31**	si
Toshiba	SMMSu 42 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	117,40	**4,32**	si
Toshiba	SMMSu 42 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	118,50	**4,39**	si
Toshiba	SMMSu 42 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	120,00	**4,60**	si
Toshiba	SMMSu 42 HP	MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-	117,60	**4,58**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 42 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	117,80	**4,54**	si
Toshiba	SMMSu 42 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	118,30	**4,64**	si
Toshiba	SMMSu 42 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	118,40	**4,65**	si
Toshiba	SMMSu 42 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	117,40	**4,52**	si
Toshiba	SMMSu 42 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	117,50	**4,53**	si
Toshiba	SMMSu 42 HP	MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	117,60	**4,81**	si
Toshiba	SMMSu 44 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E	123,00	**3,72**	si
Toshiba	SMMSu 44 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	123,00	**3,80**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 44 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	122,90	**4,02**	si
Toshiba	SMMSu 44 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	123,90	**4,20**	si
Toshiba	SMMSu 44 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	123,40	**4,12**	si
Toshiba	SMMSu 44 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	123,20	**4,33**	si
Toshiba	SMMSu 44 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	123,00	**4,03**	si
Toshiba	SMMSu 44 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	123,00	**4,11**	si
Toshiba	SMMSu 44 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	124,00	**4,20**	si
Toshiba	SMMSu 44 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	123,40	**4,31**	si
Toshiba	SMMSu 44 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	123,00	**4,10**	si
Toshiba	SMMSu 44 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	123,90	**4,39**	si
Toshiba	SMMSu 44 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-	123,50	**4,27**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1201HT8P-E			
Toshiba	SMMSu 44 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	125,00	**4,46**	si
Toshiba	SMMSu 44 HP	MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	123,20	**4,32**	si
Toshiba	SMMSu 44 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	123,20	**4,53**	si
Toshiba	SMMSu 44 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	123,30	**4,49**	si
Toshiba	SMMSu 44 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	124,80	**4,70**	si
Toshiba	SMMSu 44 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	123,40	**4,50**	si
Toshiba	SMMSu 44 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	123,90	**4,59**	si
Toshiba	SMMSu 44 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	122,90	**4,47**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 44 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	124,00	**4,59**	si
Toshiba	SMMSu 44 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	123,00	**4,48**	si
Toshiba	SMMSu 44 HP	MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	123,10	**4,74**	si
Toshiba	SMMSu 44 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	123,20	**4,74**	si
Toshiba	SMMSu 46 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E	128,50	**3,72**	si
Toshiba	SMMSu 46 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	129,40	**4,09**	si
Toshiba	SMMSu 46 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	128,90	**4,10**	si
Toshiba	SMMSu 46 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	128,80	**4,12**	si
Toshiba	SMMSu 46 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	128,50	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 46 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	129,50	**4,18**	si
Toshiba	SMMSu 46 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	129,00	**4,10**	si
Toshiba	SMMSu 46 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	128,80	**4,30**	si
Toshiba	SMMSu 46 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	128,50	**4,09**	si
Toshiba	SMMSu 46 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	129,50	**4,17**	si
Toshiba	SMMSu 46 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	128,90	**4,27**	si
Toshiba	SMMSu 46 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	130,40	**4,45**	si
Toshiba	SMMSu 46 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	130,00	**4,34**	si
Toshiba	SMMSu 46 HP	MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	128,70	**4,30**	si
Toshiba	SMMSu 46 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	128,80	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 46 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	128,70	**4,48**	si
Toshiba	SMMSu 46 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	129,80	**4,55**	si
Toshiba	SMMSu 46 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	128,80	**4,49**	si
Toshiba	SMMSu 46 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	128,90	**4,45**	si
Toshiba	SMMSu 46 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	130,40	**4,64**	si
Toshiba	SMMSu 46 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	129,40	**4,53**	si
Toshiba	SMMSu 46 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	129,00	**4,46**	si
Toshiba	SMMSu 46 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	129,50	**4,54**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 46 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	128,50	**4,43**	si
Toshiba	SMMSu 46 HP	MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	129,60	**4,79**	si
Toshiba	SMMSu 46 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	128,70	**4,68**	si
Toshiba	SMMSu 46 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	128,80	**4,69**	si
Toshiba	SMMSu 48 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	134,40	**4,00**	si
Toshiba	SMMSu 48 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	134,30	**4,11**	si
Toshiba	SMMSu 48 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	134,40	**3,95**	si
Toshiba	SMMSu 48 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	135,00	**4,07**	si
Toshiba	SMMSu 48 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	134,50	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 48 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	134,40	**4,10**	si
Toshiba	SMMSu 48 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	134,00	**3,99**	si
Toshiba	SMMSu 48 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	135,00	**4,15**	si
Toshiba	SMMSu 48 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	134,50	**4,08**	si
Toshiba	SMMSu 48 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	134,30	**4,27**	si
Toshiba	SMMSu 48 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	136,00	**4,23**	si
Toshiba	SMMSu 48 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	135,40	**4,33**	si
Toshiba	SMMSu 48 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	135,00	**4,23**	si
Toshiba	SMMSu 48 HP	MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	134,20	**4,18**	si
Toshiba	SMMSu 48 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	134,30	**4,27**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 48 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	134,30	**4,26**	si
Toshiba	SMMSu 48 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	135,20	**4,54**	si
Toshiba	SMMSu 48 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	134,80	**4,43**	si
Toshiba	SMMSu 48 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	134,40	**4,26**	si
Toshiba	SMMSu 48 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	134,30	**4,44**	si
Toshiba	SMMSu 48 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	135,40	**4,51**	si
Toshiba	SMMSu 48 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	134,40	**4,41**	si
Toshiba	SMMSu 48 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	135,90	**4,59**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 48 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	134,40	**4,45**	si
Toshiba	SMMSu 48 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	134,50	**4,41**	si
Toshiba	SMMSu 48 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	136,00	**4,60**	si
Toshiba	SMMSu 48 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	135,00	**4,49**	si
Toshiba	SMMSu 48 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	134,00	**4,39**	si
Toshiba	SMMSu 48 HP	MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	134,60	**4,64**	si
Toshiba	SMMSu 48 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	135,20	**4,73**	si
Toshiba	SMMSu 48 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	134,20	**4,62**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 48 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	134,30	**4,63**	si
Toshiba	SMMSu 48 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	134,40	**4,64**	si
Toshiba	SMMSu 50 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	139,80	**4,01**	si
Toshiba	SMMSu 50 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	139,90	**3,94**	si
Toshiba	SMMSu 50 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	140,00	**3,99**	si
Toshiba	SMMSu 50 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	139,90	**4,09**	si
Toshiba	SMMSu 50 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	140,00	**3,94**	si
Toshiba	SMMSu 50 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	140,50	**4,05**	si
Toshiba	SMMSu 50 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	140,00	**4,06**	si
Toshiba	SMMSu 50 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-	139,90	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1201HT8P-E			
Toshiba	SMMSu 50 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	141,50	**4,21**	si
Toshiba	SMMSu 50 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	141,00	**4,14**	si
Toshiba	SMMSu 50 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	140,80	**4,33**	si
Toshiba	SMMSu 50 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	140,40	**4,23**	si
Toshiba	SMMSu 50 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	139,80	**4,16**	si
Toshiba	SMMSu 50 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	139,80	**4,24**	si
Toshiba	SMMSu 50 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	140,80	**4,32**	si
Toshiba	SMMSu 50 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	140,20	**4,42**	si
Toshiba	SMMSu 50 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-	139,90	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 50 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	139,90	**4,23**	si
Toshiba	SMMSu 50 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	140,80	**4,50**	si
Toshiba	SMMSu 50 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	140,40	**4,39**	si
Toshiba	SMMSu 50 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	139,80	**4,40**	si
Toshiba	SMMSu 50 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	140,90	**4,47**	si
Toshiba	SMMSu 50 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	142,40	**4,64**	si
Toshiba	SMMSu 50 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	140,00	**4,24**	si
Toshiba	SMMSu 50 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-	139,90	**4,41**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1001HT8P-E			
Toshiba	SMMSu 50 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	141,00	**4,47**	si
Toshiba	SMMSu 50 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	140,00	**4,37**	si
Toshiba	SMMSu 50 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	141,50	**4,55**	si
Toshiba	SMMSu 50 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	140,50	**4,45**	si
Toshiba	SMMSu 50 HP	MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	140,00	**4,62**	si
Toshiba	SMMSu 50 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	140,20	**4,60**	si
Toshiba	SMMSu 50 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	140,70	**4,67**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 50 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	140,80	**4,68**	si
Toshiba	SMMSu 50 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	139,80	**4,58**	si
Toshiba	SMMSu 50 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	139,90	**4,58**	si
Toshiba	SMMSu 50 HP	MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	140,00	**4,59**	si
Toshiba	SMMSu 52 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	145,40	**3,86**	si
Toshiba	SMMSu 52 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	145,40	**3,94**	si
Toshiba	SMMSu 52 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	145,40	**4,00**	si
Toshiba	SMMSu 52 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	145,50	**3,93**	si
Toshiba	SMMSu 52 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-	145,50	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1201HT8P-E			
Toshiba	SMMSu 52 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	145,40	**4,07**	si
Toshiba	SMMSu 52 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	145,50	**3,92**	si
Toshiba	SMMSu 52 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	147,00	**4,11**	si
Toshiba	SMMSu 52 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	146,50	**4,13**	si
Toshiba	SMMSu 52 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	146,40	**4,14**	si
Toshiba	SMMSu 52 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	146,00	**4,05**	si
Toshiba	SMMSu 52 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	145,80	**4,23**	si
Toshiba	SMMSu 52 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	145,30	**4,13**	si
Toshiba	SMMSu 52 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	146,30	**4,30**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	145,80	**4,22**	si
Toshiba	SMMSu 52 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	145,60	**4,41**	si
Toshiba	SMMSu 52 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	145,40	**4,14**	si
Toshiba	SMMSu 52 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	145,40	**4,21**	si
Toshiba	SMMSu 52 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	146,40	**4,29**	si
Toshiba	SMMSu 52 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	145,80	**4,39**	si
Toshiba	SMMSu 52 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	145,40	**4,20**	si
Toshiba	SMMSu 52 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	146,30	**4,46**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	145,90	**4,36**	si
Toshiba	SMMSu 52 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	147,40	**4,52**	si
Toshiba	SMMSu 52 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	145,50	**4,22**	si
Toshiba	SMMSu 52 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	145,50	**4,21**	si
Toshiba	SMMSu 52 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	146,40	**4,46**	si
Toshiba	SMMSu 52 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	146,00	**4,36**	si
Toshiba	SMMSu 52 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	145,40	**4,37**	si
Toshiba	SMMSu 52 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	146,50	**4,43**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	148,00	**4,60**	si
Toshiba	SMMSu 52 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	145,50	**4,34**	si
Toshiba	SMMSu 52 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	147,00	**4,50**	si
Toshiba	SMMSu 52 HP	MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	145,60	**4,40**	si
Toshiba	SMMSu 52 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	145,60	**4,58**	si
Toshiba	SMMSu 52 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	145,70	**4,55**	si
Toshiba	SMMSu 52 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	147,20	**4,72**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	145,80	**4,55**	si
Toshiba	SMMSu 52 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	146,30	**4,63**	si
Toshiba	SMMSu 52 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	145,30	**4,53**	si
Toshiba	SMMSu 52 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	146,40	**4,63**	si
Toshiba	SMMSu 52 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	145,40	**4,54**	si
Toshiba	SMMSu 52 HP	MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	145,50	**4,54**	si
Toshiba	SMMSu 54 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	150,90	**3,86**	si
Toshiba	SMMSu 54 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-	151,00	**3,85**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1001HT8P-E			
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	151,00	**3,93**	si
Toshiba	SMMSu 54 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	150,90	**3,98**	si
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	151,00	**3,92**	si
Toshiba	SMMSu 54 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	152,00	**4,03**	si
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	151,90	**4,13**	si
Toshiba	SMMSu 54 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	152,00	**3,98**	si
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	151,50	**4,04**	si
Toshiba	SMMSu 54 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	151,40	**4,06**	si
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	151,20	**4,23**	si
Toshiba	SMMSu 54 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-	151,80	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	151,30	**4,20**	si
Toshiba	SMMSu 54 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	151,20	**4,22**	si
Toshiba	SMMSu 54 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	150,90	**4,11**	si
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	151,90	**4,27**	si
Toshiba	SMMSu 54 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	151,40	**4,20**	si
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	151,20	**4,38**	si
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	150,90	**4,19**	si
Toshiba	SMMSu 54 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-	151,90	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	151,30	**4,35**	si
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	152,80	**4,51**	si
Toshiba	SMMSu 54 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	152,40	**4,41**	si
Toshiba	SMMSu 54 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	151,00	**4,12**	si
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	151,00	**4,19**	si
Toshiba	SMMSu 54 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	152,00	**4,27**	si
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	151,40	**4,36**	si
Toshiba	SMMSu 54 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-	151,00	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1001HT8P-E			
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	151,90	**4,42**	si
Toshiba	SMMSu 54 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	151,50	**4,33**	si
Toshiba	SMMSu 54 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	153,00	**4,48**	si
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	150,90	**4,34**	si
Toshiba	SMMSu 54 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	152,00	**4,39**	si
Toshiba	SMMSu 54 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	153,50	**4,55**	si
Toshiba	SMMSu 54 HP	MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	151,10	**4,37**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	151,20	**4,37**	si
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	151,10	**4,54**	si
Toshiba	SMMSu 54 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	152,20	**4,60**	si
Toshiba	SMMSu 54 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	151,20	**4,54**	si
Toshiba	SMMSu 54 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	151,30	**4,51**	si
Toshiba	SMMSu 54 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	152,80	**4,68**	si
Toshiba	SMMSu 54 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	151,80	**4,58**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	151,40	**4,52**	si
Toshiba	SMMSu 54 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	151,90	**4,59**	si
Toshiba	SMMSu 54 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	150,90	**4,49**	si
Toshiba	SMMSu 54 HP	MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	152,00	**4,59**	si
Toshiba	SMMSu 54 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	151,00	**4,50**	si
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E	156,40	**3,79**	si
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	156,50	**3,85**	si
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	156,50	**3,84**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	156,50	**3,91**	si
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	157,40	**4,04**	si
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	157,50	**3,98**	si
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	157,00	**3,96**	si
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	156,90	**4,05**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	157,00	**3,91**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	156,80	**4,07**	si
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,80	**4,11**	si
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,70	**4,20**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,80	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	157,40	**4,17**	si
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	156,90	**4,18**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	156,80	**4,20**	si
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	156,40	**4,09**	si
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	157,40	**4,24**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	156,90	**4,17**	si
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	156,70	**4,35**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	158,40	**4,31**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	157,80	**4,40**	si
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	157,40	**4,31**	si
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	156,50	**4,10**	si
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	157,50	**4,25**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	157,00	**4,18**	si
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	156,80	**4,35**	si
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	156,50	**4,17**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	157,50	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	156,90	**4,32**	si
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	158,40	**4,47**	si
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	158,00	**4,38**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	156,50	**4,16**	si
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	157,40	**4,39**	si
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	157,00	**4,30**	si
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	158,50	**4,44**	si
Toshiba	SMMSu 56 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	160,00	**4,60**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP	MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,60	**4,27**	si
Toshiba	SMMSu 56 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,70	**4,35**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,70	**4,34**	si
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	157,60	**4,58**	si
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	157,20	**4,49**	si
Toshiba	SMMSu 56 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,80	**4,34**	si
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,70	**4,50**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	157,80	**4,56**	si
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	156,80	**4,47**	si
Toshiba	SMMSu 56 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	158,30	**4,63**	si
Toshiba	SMMSu 56 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	156,80	**4,51**	si
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	156,90	**4,48**	si
Toshiba	SMMSu 56 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	158,40	**4,63**	si
Toshiba	SMMSu 56 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	157,40	**4,54**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	156,40	**4,45**	si
Toshiba	SMMSu 56 HP	MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	157,00	**4,48**	si
Toshiba	SMMSu 56 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	157,50	**4,55**	si
Toshiba	SMMSu 56 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	156,50	**4,46**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E	162,00	**3,78**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	162,00	**3,84**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	163,00	**3,90**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	163,00	**3,97**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-	162,40	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1601HT8P-E			
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	162,50	**3,91**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	162,30	**4,06**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	162,40	**3,92**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,20	**4,11**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,30	**4,05**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	162,40	**4,09**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	162,30	**4,18**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	162,40	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	162,90	**4,15**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	162,40	**4,16**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	162,30	**4,18**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	163,90	**4,29**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	163,40	**4,23**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	163,20	**4,40**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	162,80	**4,31**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	163,00	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	162,50	**4,16**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	162,40	**4,18**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	162,00	**4,08**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	163,00	**4,22**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	162,50	**4,16**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	162,30	**4,32**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	164,00	**4,29**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	163,40	**4,37**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	163,00	**4,29**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	162,00	**4,15**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	163,00	**4,21**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	162,40	**4,29**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	163,90	**4,44**	si
Toshiba	SMMSu 58 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	163,50	**4,35**	si
Toshiba	SMMSu 58 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	165,00	**4,49**	si
Toshiba	SMMSu 58 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,20	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,20	**4,32**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	163,20	**4,39**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,60	**4,48**	si
Toshiba	SMMSu 58 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,30	**4,32**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,30	**4,31**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	163,20	**4,55**	si
Toshiba	SMMSu 58 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,80	**4,45**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	162,20	**4,46**	si
Toshiba	SMMSu 58 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	163,30	**4,52**	si
Toshiba	SMMSu 58 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	164,80	**4,67**	si
Toshiba	SMMSu 58 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	162,40	**4,32**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	162,30	**4,47**	si
Toshiba	SMMSu 58 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	163,40	**4,52**	si
Toshiba	SMMSu 58 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	162,40	**4,44**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	163,90	**4,59**	si
Toshiba	SMMSu 58 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	162,90	**4,50**	si
Toshiba	SMMSu 58 HP	MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	162,40	**4,47**	si
Toshiba	SMMSu 58 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	162,50	**4,44**	si
Toshiba	SMMSu 58 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	164,00	**4,59**	si
Toshiba	SMMSu 58 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	163,00	**4,51**	si
Toshiba	SMMSu 58 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	162,00	**4,42**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E	167,50	**3,78**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	168,50	**3,90**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	168,00	**3,84**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	168,00	**3,91**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	167,80	**3,98**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	167,90	**3,92**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	168,00	**3,80**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	167,80	**3,97**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	167,80	**4,04**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	167,80	**4,10**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	167,90	**4,04**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	167,90	**4,07**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	167,80	**4,16**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	167,90	**4,03**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	169,40	**4,20**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	168,90	**4,21**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	168,80	**4,23**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	168,40	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	168,20	**4,31**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	168,00	**4,08**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	167,90	**4,17**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	168,00	**4,03**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	168,50	**4,13**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	168,00	**4,14**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	167,90	**4,16**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	169,50	**4,27**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	169,00	**4,21**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	168,80	**4,37**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	168,40	**4,29**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	167,50	**4,06**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	168,50	**4,20**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	168,00	**4,13**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	167,80	**4,29**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	169,50	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	168,90	**4,34**	si
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	168,50	**4,26**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	170,40	**4,48**	si
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	170,00	**4,40**	si
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	167,70	**4,22**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	168,70	**4,37**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	168,20	**4,30**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-	168,00	**4,47**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 60 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	167,80	**4,22**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	167,80	**4,29**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	168,80	**4,36**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	168,20	**4,45**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	167,80	**4,28**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	168,70	**4,51**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	168,30	**4,42**	si
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	169,80	**4,56**	si
Toshiba	SMMSu 60 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	167,90	**4,30**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	167,90	**4,29**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	168,80	**4,51**	si
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	168,40	**4,42**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	167,80	**4,43**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	168,90	**4,49**	si
Toshiba	SMMSu 60 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	170,40	**4,63**	si
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	167,90	**4,40**	si
Toshiba	SMMSu 60 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	169,40	**4,55**	si
Toshiba	SMMSu 60 HP	MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	168,00	**4,29**	si
Toshiba	SMMSu 60 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	167,90	**4,44**	si
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	169,00	**4,49**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	168,00	**4,41**	si
Toshiba	SMMSu 60 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	169,50	**4,55**	si
Toshiba	SMMSu 60 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	168,50	**4,47**	si
Toshiba	SMMSu 60 HP	MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	167,50	**4,39**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E	174,00	**3,83**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	173,50	**3,84**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	173,40	**3,85**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	173,40	**3,92**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-	173,50	**3,80**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP2001HT8P-E			
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	173,30	**3,96**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	173,40	**3,96**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	173,40	**4,03**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	173,30	**4,08**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	173,40	**4,02**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	174,40	**4,12**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	174,30	**4,21**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	174,40	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	173,90	**4,14**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	173,80	**4,15**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	173,60	**4,30**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	173,40	**4,08**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	173,50	**4,02**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	173,50	**4,06**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	173,40	**4,15**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	173,50	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	175,00	**4,18**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	174,50	**4,19**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	174,40	**4,21**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	174,00	**4,13**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	173,80	**4,28**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	174,00	**4,11**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	173,50	**4,12**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	173,40	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	175,00	**4,25**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	174,50	**4,18**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	174,30	**4,34**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	173,90	**4,26**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	176,00	**4,31**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	175,40	**4,39**	si
Toshiba	SMMSu 62 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	175,00	**4,31**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	174,20	**4,27**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	173,70	**4,28**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	173,60	**4,29**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	173,30	**4,20**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	174,30	**4,34**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	173,80	**4,27**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	173,60	**4,44**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	173,30	**4,27**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	174,30	**4,33**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	173,70	**4,41**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	175,20	**4,55**	si
Toshiba	SMMSu 62 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	174,80	**4,46**	si
Toshiba	SMMSu 62 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	173,40	**4,20**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	173,40	**4,27**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	174,40	**4,34**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	173,80	**4,42**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	173,40	**4,26**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	174,30	**4,48**	si
Toshiba	SMMSu 62 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	173,90	**4,39**	si
Toshiba	SMMSu 62 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	175,40	**4,53**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	173,30	**4,40**	si
Toshiba	SMMSu 62 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	174,40	**4,45**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	175,90	**4,59**	si
Toshiba	SMMSu 62 HP	MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	173,50	**4,28**	si
Toshiba	SMMSu 62 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	173,50	**4,27**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	174,40	**4,48**	si
Toshiba	SMMSu 62 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	174,00	**4,40**	si
Toshiba	SMMSu 62 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	173,40	**4,40**	si
Toshiba	SMMSu 62 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	174,50	**4,46**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	176,00	**4,60**	si
Toshiba	SMMSu 62 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	173,50	**4,38**	si
Toshiba	SMMSu 62 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	175,00	**4,52**	si
Toshiba	SMMSu 62 HP	MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	174,00	**4,44**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E	179,00	**3,78**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	178,90	**3,85**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	179,00	**3,74**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E	179,00	**3,80**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	178,80	**3,90**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	178,90	**3,96**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	178,90	**3,95**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	178,90	**4,01**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	179,80	**4,13**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	179,90	**4,07**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	179,40	**4,06**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	179,30	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	179,40	**4,01**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	179,20	**4,15**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	179,00	**3,95**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	179,00	**4,02**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	178,90	**4,07**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	179,00	**4,01**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	180,00	**4,11**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	179,90	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	180,00	**4,07**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	179,50	**4,12**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	179,40	**4,13**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	179,20	**4,28**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	179,00	**4,04**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	178,90	**4,13**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	179,00	**4,00**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	180,50	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	180,00	**4,17**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	179,90	**4,19**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	179,50	**4,11**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	179,30	**4,26**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	181,50	**4,29**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	181,00	**4,23**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	180,80	**4,39**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	180,40	**4,31**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	180,00	**4,23**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,20	**4,19**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,10	**4,28**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,20	**4,14**	si
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,80	**4,25**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,30	**4,26**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,20	**4,27**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	178,80	**4,18**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,80	**4,31**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,30	**4,25**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,10	**4,41**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	180,80	**4,38**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	180,20	**4,46**	si
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	179,80	**4,38**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	178,90	**4,18**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	179,90	**4,32**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	179,40	**4,25**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	179,20	**4,41**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	178,90	**4,25**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	179,90	**4,31**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	179,30	**4,39**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	180,80	**4,52**	si
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	180,40	**4,44**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	178,90	**4,24**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	179,80	**4,44**	si
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	179,40	**4,36**	si
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	180,90	**4,49**	si
Toshiba	SMMSu 64 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	182,40	**4,63**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	179,00	**4,19**	si
Toshiba	SMMSu 64 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	179,00	**4,25**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	180,00	**4,31**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	179,40	**4,39**	si
Toshiba	SMMSu 64 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	179,00	**4,24**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	179,90	**4,45**	si
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	179,50	**4,37**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	181,00	**4,50**	si
Toshiba	SMMSu 64 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	178,90	**4,37**	si
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	180,00	**4,42**	si
Toshiba	SMMSu 64 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	181,50	**4,56**	si
Toshiba	SMMSu 64 HP	MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	179,00	**4,35**	si
Toshiba	SMMSu 64 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	180,50	**4,48**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E	184,40	**3,79**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-	184,50	**3,74**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP2001HT8P-E			
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	184,50	**3,80**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	184,40	**3,89**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	184,40	**3,94**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	185,40	**4,00**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	185,40	**4,06**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	184,80	**4,06**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	184,90	**4,01**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	184,70	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	184,80	**4,02**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	184,50	**3,95**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	184,50	**3,94**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	184,50	**4,00**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	185,40	**4,11**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	185,50	**4,06**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	185,00	**4,05**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	184,90	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	185,00	**4,00**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	184,80	**4,14**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	184,40	**4,05**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	184,50	**4,00**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	185,50	**4,09**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	185,40	**4,17**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	185,50	**4,05**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	185,00	**4,10**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	184,90	**4,12**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	184,70	**4,26**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	187,00	**4,21**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	186,50	**4,22**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	186,40	**4,23**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	186,00	**4,16**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	185,80	**4,30**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	185,40	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	184,60	**4,19**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	184,70	**4,13**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	184,80	**4,17**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	184,70	**4,26**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	184,80	**4,13**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	185,30	**4,22**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	184,80	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	184,70	**4,25**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	186,30	**4,36**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	185,80	**4,30**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	185,60	**4,45**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	185,20	**4,37**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	185,40	**4,23**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	184,90	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	184,80	**4,25**	si
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	184,40	**4,16**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	185,40	**4,29**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	184,90	**4,23**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	184,70	**4,38**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	186,40	**4,35**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	185,80	**4,43**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	185,40	**4,35**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	184,40	**4,22**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	185,40	**4,28**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	184,80	**4,36**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	186,30	**4,49**	si
Toshiba	SMMSu 66 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	185,90	**4,41**	si
Toshiba	SMMSu 66 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	187,40	**4,54**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	184,50	**4,17**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	185,50	**4,30**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	185,00	**4,24**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	184,80	**4,39**	si
Toshiba	SMMSu 66 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	184,50	**4,23**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	185,50	**4,29**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	184,90	**4,36**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	186,40	**4,49**	si
Toshiba	SMMSu 66 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	186,00	**4,41**	si
Toshiba	SMMSu 66 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	184,50	**4,22**	si
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	185,40	**4,42**	si
Toshiba	SMMSu 66 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	185,00	**4,34**	si
Toshiba	SMMSu 66 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	186,50	**4,47**	si
Toshiba	SMMSu 66 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	188,00	**4,60**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP	MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	184,40	**4,35**	si
Toshiba	SMMSu 66 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	185,50	**4,39**	si
Toshiba	SMMSu 66 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	187,00	**4,52**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	190,00	**3,75**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	189,90	**3,88**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	190,90	**3,99**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	190,40	**3,94**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	190,40	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	190,20	**4,07**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	190,30	**4,01**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	190,40	**3,90**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	190,00	**3,88**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	190,00	**3,94**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	191,00	**3,99**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	191,00	**4,05**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	190,40	**4,05**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	190,50	**4,00**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	190,30	**4,13**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	190,40	**4,01**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	190,00	**3,93**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	190,00	**3,99**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	190,90	**4,10**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	191,00	**4,04**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	190,50	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	190,40	**4,11**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	190,50	**3,99**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	190,30	**4,12**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	192,00	**4,14**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	191,90	**4,22**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	192,00	**4,10**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	191,50	**4,15**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	191,40	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	191,20	**4,30**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	191,00	**4,09**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	190,80	**4,23**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,20	**4,06**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,20	**4,12**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,20	**4,18**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,30	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,30	**4,15**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,20	**4,24**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,30	**4,11**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	191,80	**4,27**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	191,30	**4,28**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	191,20	**4,29**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,80	**4,22**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	190,60	**4,37**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	190,40	**4,16**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	190,30	**4,24**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	190,40	**4,12**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	190,90	**4,21**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	190,40	**4,22**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	190,30	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	191,90	**4,34**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	191,40	**4,28**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	191,20	**4,42**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	190,80	**4,35**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	189,90	**4,14**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	190,90	**4,27**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	190,40	**4,21**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	190,20	**4,35**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	191,90	**4,33**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	191,30	**4,40**	si
Toshiba	SMMSu 68 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	190,90	**4,33**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	192,80	**4,53**	si
Toshiba	SMMSu 68 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	192,40	**4,45**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	191,00	**4,21**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	190,50	**4,22**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	190,40	**4,24**	si
Toshiba	SMMSu 68 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	190,00	**4,15**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	191,00	**4,27**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	190,50	**4,21**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	190,30	**4,36**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	192,00	**4,33**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	191,40	**4,41**	si
Toshiba	SMMSu 68 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	191,00	**4,33**	si
Toshiba	SMMSu 68 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	190,00	**4,21**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	191,00	**4,26**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	190,40	**4,34**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	191,90	**4,46**	si
Toshiba	SMMSu 68 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	191,50	**4,38**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	193,00	**4,51**	si
Toshiba	SMMSu 68 HP	MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	190,00	**4,20**	si
Toshiba	SMMSu 68 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	190,90	**4,39**	si
Toshiba	SMMSu 68 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	190,50	**4,31**	si
Toshiba	SMMSu 68 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	192,00	**4,44**	si
Toshiba	SMMSu 68 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	193,50	**4,56**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	196,40	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	195,90	**3,94**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	195,80	**3,95**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	195,80	**4,01**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	195,90	**3,90**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	195,50	**3,88**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	196,50	**3,98**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	196,00	**3,93**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	196,00	**3,99**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	195,80	**4,05**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	195,90	**4,00**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	196,00	**3,90**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	195,50	**3,93**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	196,50	**3,98**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	196,50	**4,04**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	195,90	**4,04**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	196,00	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	195,80	**4,11**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	195,90	**4,00**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	197,40	**4,14**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	197,50	**4,09**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	197,00	**4,08**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	196,90	**4,15**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	197,00	**4,04**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	196,80	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	196,50	**4,09**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	196,40	**4,10**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	196,20	**4,23**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	195,70	**4,05**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	195,80	**4,05**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	195,80	**4,11**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	195,70	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	195,80	**4,10**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	196,80	**4,20**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	196,70	**4,28**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	196,80	**4,16**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	196,30	**4,21**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	196,20	**4,22**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	196,00	**4,36**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	195,80	**4,16**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	195,90	**4,11**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	195,90	**4,14**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	195,80	**4,22**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	195,90	**4,10**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	197,40	**4,25**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	196,90	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	196,80	**4,27**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	196,40	**4,21**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	196,20	**4,34**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	196,40	**4,19**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	195,90	**4,20**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	195,80	**4,21**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	197,40	**4,31**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	196,90	**4,25**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	196,70	**4,40**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	196,30	**4,32**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	198,40	**4,37**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	197,80	**4,44**	si
Toshiba	SMMSu 70 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	197,40	**4,37**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	196,00	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	195,90	**4,22**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	196,00	**4,10**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	196,50	**4,19**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	196,00	**4,20**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	195,90	**4,21**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	197,50	**4,31**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	197,00	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	196,80	**4,40**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	196,40	**4,33**	si
Toshiba	SMMSu 70 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	195,50	**4,13**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	196,50	**4,25**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	196,00	**4,19**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	195,80	**4,33**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	197,50	**4,31**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	196,90	**4,38**	si
Toshiba	SMMSu 70 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	196,50	**4,30**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	198,40	**4,50**	si
Toshiba	SMMSu 70 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	198,00	**4,42**	si
Toshiba	SMMSu 70 HP	MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	195,50	**4,19**	si
Toshiba	SMMSu 70 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	196,50	**4,24**	si
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	195,90	**4,31**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	197,40	**4,43**	si
Toshiba	SMMSu 70 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	197,00	**4,36**	si
Toshiba	SMMSu 70 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	198,50	**4,48**	si
Toshiba	SMMSu 70 HP	MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	200,00	**4,60**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	201,40	**3,88**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	201,30	**3,94**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	201,40	**3,84**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-	201,40	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP0801HT8P-E			
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	202,00	**3,92**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	201,50	**3,93**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	201,40	**3,94**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	201,40	**4,00**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	201,50	**3,89**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	201,00	**3,87**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	202,00	**3,97**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-	201,50	**3,92**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1201HT8P-E			
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	201,50	**3,98**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	201,30	**4,04**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	201,40	**3,99**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	201,50	**3,89**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	203,00	**4,02**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	203,00	**4,08**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	202,40	**4,08**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-	202,50	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
		E+MMY-MUP1401HT8P-E			
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	202,30	**4,15**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	202,40	**4,04**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	202,00	**4,02**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	201,90	**4,09**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	202,00	**3,98**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	201,80	**4,10**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	201,60	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	201,20	**3,99**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	201,30	**4,04**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	201,30	**4,03**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	201,30	**4,09**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	202,20	**4,20**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	202,30	**4,15**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	201,80	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	201,70	**4,21**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	201,80	**4,09**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	201,60	**4,22**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	201,40	**4,04**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	201,40	**4,10**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	201,30	**4,14**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	201,40	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	202,40	**4,18**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	202,30	**4,26**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	202,40	**4,14**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	201,90	**4,19**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	201,80	**4,21**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	201,60	**4,34**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	201,40	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	201,30	**4,20**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	201,40	**4,08**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	202,90	**4,23**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	202,40	**4,24**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	202,30	**4,25**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	201,90	**4,19**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	201,70	**4,32**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	203,90	**4,35**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	203,40	**4,30**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	203,20	**4,44**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	202,80	**4,36**	si
Toshiba	SMMSu 72 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	202,40	**4,29**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	201,40	**4,15**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	201,50	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	201,50	**4,13**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	201,40	**4,20**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	201,50	**4,09**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	203,00	**4,23**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	202,50	**4,24**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	202,40	**4,26**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	202,00	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	201,80	**4,32**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	202,00	**4,17**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	201,50	**4,18**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	201,40	**4,19**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	203,00	**4,29**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	202,50	**4,24**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	202,30	**4,37**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	201,90	**4,30**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	204,00	**4,35**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	203,40	**4,42**	si
Toshiba	SMMSu 72 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	203,00	**4,35**	si
Toshiba	SMMSu 72 HP	MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	201,00	**4,11**	si
Toshiba	SMMSu 72 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	202,00	**4,23**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	201,50	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	201,30	**4,31**	si
Toshiba	SMMSu 72 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	203,00	**4,28**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	202,40	**4,35**	si
Toshiba	SMMSu 72 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	202,00	**4,28**	si
Toshiba	SMMSu 72 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	203,90	**4,47**	si
Toshiba	SMMSu 72 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	203,50	**4,40**	si
Toshiba	SMMSu 72 HP	MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	205,00	**4,51**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	206,80	**3,89**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	206,90	**3,84**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	206,90	**3,89**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	207,00	**3,87**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	206,90	**3,94**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	207,00	**3,84**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	207,00	**3,89**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	207,50	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	207,00	**3,92**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	206,90	**3,93**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	206,90	**3,99**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	207,00	**3,88**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	208,50	**4,02**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	208,00	**3,97**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	208,00	**4,02**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	207,80	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	207,90	**4,03**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	208,00	**3,93**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	207,40	**4,02**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	207,50	**3,98**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	207,30	**4,09**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	207,40	**3,99**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	207,20	**4,10**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	206,80	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	206,80	**4,03**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	207,80	**4,08**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	207,80	**4,14**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	207,20	**4,14**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	207,30	**4,09**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	207,10	**4,21**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	207,20	**4,10**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	206,90	**4,03**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	206,90	**4,02**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	206,90	**4,08**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	207,80	**4,18**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	207,90	**4,13**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	207,40	**4,12**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	207,30	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	207,40	**4,08**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	207,20	**4,21**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	206,80	**4,13**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	206,90	**4,08**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	207,90	**4,17**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	207,80	**4,24**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	207,90	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	207,40	**4,17**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	207,30	**4,19**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	207,10	**4,32**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	209,40	**4,27**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	208,90	**4,28**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	208,80	**4,29**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	208,40	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	208,20	**4,36**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	207,80	**4,29**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	207,00	**4,03**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	207,00	**4,09**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	206,90	**4,13**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	207,00	**4,08**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	208,00	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	207,90	**4,24**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	208,00	**4,13**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	207,50	**4,18**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	207,40	**4,19**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	207,20	**4,32**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	207,00	**4,11**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	206,90	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	207,00	**4,07**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	208,50	**4,21**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	208,00	**4,22**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	207,90	**4,24**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	207,50	**4,17**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	207,30	**4,30**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	209,50	**4,33**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	209,00	**4,28**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	208,80	**4,41**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	208,40	**4,34**	si
Toshiba	SMMSu 74 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	208,00	**4,28**	si
Toshiba	SMMSu 74 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	207,50	**4,15**	si
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	207,00	**4,16**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	206,90	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	208,50	**4,27**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	208,00	**4,22**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	207,80	**4,35**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	207,40	**4,28**	si
Toshiba	SMMSu 74 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	209,50	**4,32**	si
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	208,90	**4,39**	si
Toshiba	SMMSu 74 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	208,50	**4,32**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP	MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	210,40	**4,51**	si
Toshiba	SMMSu 74 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	210,00	**4,43**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	212,40	**3,79**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	212,40	**3,84**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	212,40	**3,88**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	212,50	**3,84**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	212,50	**3,89**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	212,50	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	212,40	**3,93**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	212,50	**3,83**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	212,50	**3,88**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	214,00	**3,96**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	213,50	**3,96**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	213,40	**3,97**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	213,40	**4,03**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	213,50	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	213,00	**3,92**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	213,00	**3,97**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	212,80	**4,03**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	212,90	**3,98**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	213,00	**3,88**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	212,70	**4,10**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	212,80	**3,99**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	212,30	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	213,30	**4,07**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	212,80	**4,02**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	212,80	**4,08**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	212,60	**4,14**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	212,70	**4,09**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	212,80	**3,99**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	212,40	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	212,40	**4,02**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	213,40	**4,07**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	213,40	**4,12**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	212,80	**4,12**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	212,90	**4,07**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	212,70	**4,20**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	212,80	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	212,40	**4,01**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	212,40	**4,07**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	213,30	**4,17**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	213,40	**4,12**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	212,90	**4,11**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	212,80	**4,18**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	212,90	**4,07**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	212,70	**4,19**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	214,40	**4,21**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	214,30	**4,28**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	214,40	**4,17**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	213,90	**4,22**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	213,80	**4,23**	si
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	213,60	**4,36**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	213,40	**4,16**	si
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	213,20	**4,29**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	212,50	**4,02**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	212,50	**4,02**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	212,50	**4,07**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	213,40	**4,17**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	213,50	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	213,00	**4,11**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	212,90	**4,18**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	213,00	**4,07**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	212,80	**4,19**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	212,40	**4,11**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	212,50	**4,06**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	213,50	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	213,40	**4,22**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	213,50	**4,11**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	213,00	**4,16**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	212,90	**4,17**	si
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	212,70	**4,30**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	215,00	**4,25**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	214,50	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	214,40	**4,28**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	214,00	**4,21**	si
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	213,80	**4,34**	si
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	213,40	**4,27**	si
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	212,50	**4,10**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	212,40	**4,17**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	212,50	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	214,00	**4,20**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	213,50	**4,20**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	213,40	**4,22**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	213,00	**4,15**	si
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	212,80	**4,28**	si
Toshiba	SMMSu 76 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	215,00	**4,31**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	214,50	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	214,30	**4,39**	si
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	213,90	**4,32**	si
Toshiba	SMMSu 76 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	213,50	**4,25**	si
Toshiba	SMMSu 76 HP	MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	216,00	**4,36**	si
Toshiba	SMMSu 76 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	215,40	**4,43**	si
Toshiba	SMMSu 76 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	215,00	**4,36**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	217,90	**3,79**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	218,00	**3,79**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	218,00	**3,84**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	217,90	**3,87**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	218,00	**3,83**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	218,00	**3,88**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	219,00	**3,91**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	218,90	**3,97**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	219,00	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	219,00	**3,93**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	218,50	**3,91**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	218,40	**3,92**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	218,40	**3,98**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	218,50	**3,88**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	218,20	**4,03**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	218,30	**3,99**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	218,40	**3,89**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	218,80	**4,01**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	218,30	**4,02**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	218,20	**4,03**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	218,20	**4,08**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	218,30	**3,98**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	217,90	**3,96**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	218,90	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	218,40	**4,01**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	218,40	**4,07**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	218,20	**4,13**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	218,30	**4,08**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	218,40	**3,98**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	217,90	**4,01**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	218,90	**4,05**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	218,90	**4,11**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	218,30	**4,11**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	218,40	**4,06**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	218,20	**4,18**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	218,30	**4,07**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	219,80	**4,21**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	219,90	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	219,40	**4,15**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	219,30	**4,22**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	219,40	**4,11**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	219,20	**4,23**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	218,90	**4,15**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	218,80	**4,17**	si
Toshiba	SMMSu 78 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	218,60	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	218,00	**3,96**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	218,00	**4,01**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	219,00	**4,06**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	219,00	**4,11**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	218,40	**4,11**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	218,50	**4,06**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	218,30	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	218,40	**4,08**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	218,00	**4,00**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	218,00	**4,06**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	218,90	**4,15**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	219,00	**4,11**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	218,50	**4,09**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	218,40	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	218,50	**4,06**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	218,30	**4,17**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	220,00	**4,19**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	219,90	**4,26**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	220,00	**4,15**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	219,50	**4,20**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	219,40	**4,21**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	219,20	**4,34**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	219,00	**4,15**	si
Toshiba	SMMSu 78 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	218,80	**4,27**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	217,90	**4,10**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	218,00	**4,05**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	219,00	**4,14**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	218,90	**4,21**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	219,00	**4,10**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	218,50	**4,14**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	218,40	**4,16**	si
Toshiba	SMMSu 78 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	218,20	**4,28**	si
Toshiba	SMMSu 78 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	220,50	**4,23**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	220,00	**4,24**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	219,90	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	219,50	**4,19**	si
Toshiba	SMMSu 78 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	219,30	**4,32**	si
Toshiba	SMMSu 78 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	218,90	**4,25**	si
Toshiba	SMMSu 78 HP	MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	221,50	**4,35**	si
Toshiba	SMMSu 78 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	221,00	**4,29**	si
Toshiba	SMMSu 78 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	220,80	**4,42**	si
Toshiba	SMMSu 78 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	220,40	**4,36**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	220,00	**4,29**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E	223,40	**3,74**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	223,50	**3,79**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	223,50	**3,78**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	223,50	**3,83**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	224,40	**3,91**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	224,50	**3,87**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	224,50	**3,92**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	224,00	**3,86**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	223,90	**3,92**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	224,00	**3,83**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	224,00	**3,88**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	223,80	**3,93**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	223,80	**3,98**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	223,90	**3,89**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	224,00	**3,80**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	223,80	**3,96**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	223,70	**4,02**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	223,80	**3,93**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	223,80	**3,98**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	224,40	**4,00**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	223,90	**4,01**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	223,80	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	223,80	**4,07**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	223,90	**3,97**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	223,40	**3,95**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	224,40	**4,05**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	223,90	**4,00**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	223,90	**4,05**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	223,70	**4,11**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	223,80	**4,07**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	223,90	**3,97**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	225,40	**4,09**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	225,40	**4,15**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	224,80	**4,15**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	224,90	**4,10**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	224,70	**4,22**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	224,80	**4,11**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	224,40	**4,09**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	224,30	**4,16**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	224,40	**4,05**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	224,20	**4,17**	si
Toshiba	SMMSu 80 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	224,00	**4,29**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	223,50	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	224,50	**4,05**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	224,00	**4,00**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	224,00	**4,06**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	223,80	**4,12**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	223,90	**4,07**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	224,00	**3,97**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	223,50	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	224,50	**4,04**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	224,50	**4,10**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	223,90	**4,10**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	224,00	**4,05**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	223,80	**4,16**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	223,90	**4,06**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	225,40	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	225,50	**4,14**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	225,00	**4,13**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	224,90	**4,20**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	225,00	**4,10**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	224,80	**4,21**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	224,50	**4,14**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	224,40	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	224,20	**4,27**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	223,50	**3,99**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	223,50	**4,05**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	224,40	**4,14**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	224,50	**4,09**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	224,00	**4,08**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	223,90	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	224,00	**4,05**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	223,80	**4,16**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	225,50	**4,17**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	225,40	**4,24**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	225,50	**4,14**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	225,00	**4,18**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	224,90	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	224,70	**4,32**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	224,50	**4,14**	si
Toshiba	SMMSu 80 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	224,30	**4,25**	si
Toshiba	SMMSu 80 HP	MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	227,00	**4,27**	si
Toshiba	SMMSu 80 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	226,50	**4,28**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	226,40	**4,29**	si
Toshiba	SMMSu 80 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	226,00	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	225,80	**4,35**	si
Toshiba	SMMSu 80 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	225,40	**4,29**	si
Toshiba	SMMSu 80 HP	MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	225,00	**4,23**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E	229,00	**3,74**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	229,00	**3,78**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	230,00	**3,82**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	230,00	**3,87**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	229,40	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	229,50	**3,83**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	229,50	**3,88**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	229,30	**3,93**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	229,40	**3,84**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	229,40	**3,89**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	229,50	**3,80**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	229,20	**3,96**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	229,30	**3,92**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	229,30	**3,97**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	229,40	**3,95**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	229,30	**4,01**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	229,40	**3,92**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	229,40	**3,97**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	229,90	**3,99**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	229,40	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	229,30	**4,01**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	229,30	**4,06**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	229,40	**3,96**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	230,90	**4,09**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	230,40	**4,04**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	230,40	**4,09**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	230,20	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	230,30	**4,10**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	230,40	**4,01**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	229,80	**4,09**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	229,90	**4,05**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	229,70	**4,16**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	229,80	**4,06**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	229,60	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	230,00	**3,99**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	229,50	**4,00**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	229,40	**4,01**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	229,40	**4,06**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	229,50	**3,97**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	229,00	**3,94**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	230,00	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	229,50	**3,99**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	229,50	**4,05**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	229,30	**4,10**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	229,40	**4,06**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	229,50	**3,96**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	231,00	**4,08**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	231,00	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	230,40	**4,14**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	230,50	**4,09**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	230,30	**4,20**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	230,40	**4,10**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	230,00	**4,08**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	229,90	**4,14**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	230,00	**4,05**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	229,80	**4,16**	si
Toshiba	SMMSu 82 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	229,60	**4,27**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	229,00	**3,99**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	230,00	**4,03**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	230,00	**4,08**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	229,40	**4,08**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	229,50	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	229,30	**4,15**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	229,40	**4,05**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	230,90	**4,18**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	231,00	**4,13**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	230,50	**4,12**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	230,40	**4,18**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	230,50	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	230,30	**4,20**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	230,00	**4,13**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	229,90	**4,14**	si
Toshiba	SMMSu 82 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	229,70	**4,25**	si
Toshiba	SMMSu 82 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	232,00	**4,21**	si
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	231,90	**4,28**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	232,00	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	231,50	**4,22**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	231,40	**4,23**	si
Toshiba	SMMSu 82 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	231,20	**4,35**	si
Toshiba	SMMSu 82 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	231,00	**4,17**	si
Toshiba	SMMSu 82 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	230,80	**4,29**	si
Toshiba	SMMSu 82 HP	MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	230,40	**4,23**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E	234,50	**3,74**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	235,50	**3,82**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	235,00	**3,78**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	235,00	**3,83**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	234,80	**3,88**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	234,90	**3,84**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	234,90	**3,89**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	235,00	**3,76**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	235,00	**3,80**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	234,80	**3,87**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	234,80	**3,92**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	234,80	**3,96**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	234,90	**3,92**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	234,90	**3,97**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	234,90	**3,94**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	234,80	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	234,90	**3,91**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	234,90	**3,96**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	236,40	**4,03**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	235,90	**4,04**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	235,80	**4,05**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	235,80	**4,10**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	235,90	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	235,40	**3,99**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	235,40	**4,04**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	235,20	**4,10**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	235,30	**4,05**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	235,40	**3,96**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	235,10	**4,16**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	235,20	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	235,00	**3,95**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	234,90	**4,01**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	235,00	**3,91**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	235,00	**3,96**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	235,50	**3,98**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	235,00	**3,99**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	234,90	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	234,90	**4,05**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	235,00	**3,96**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	236,50	**4,08**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	236,00	**4,03**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	236,00	**4,08**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	235,80	**4,14**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	235,90	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	236,00	**4,00**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	235,40	**4,08**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	235,50	**4,04**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	235,30	**4,15**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	235,40	**4,05**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	235,20	**4,16**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	234,50	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	235,50	**4,03**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	235,00	**3,98**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	235,00	**4,03**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	234,80	**4,09**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	234,90	**4,04**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	235,00	**3,95**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	236,50	**4,07**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	236,50	**4,12**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	235,90	**4,12**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	236,00	**4,08**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	235,80	**4,19**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	235,90	**4,09**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	235,50	**4,07**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	235,40	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	235,50	**4,03**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	235,30	**4,14**	si
Toshiba	SMMSu 84 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	235,10	**4,25**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	237,40	**4,21**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	237,50	**4,17**	si
Toshiba	SMMSu 84 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	237,00	**4,16**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	236,90	**4,22**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	237,00	**4,12**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	236,80	**4,23**	si
Toshiba	SMMSu 84 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	236,50	**4,16**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	236,40	**4,17**	si
Toshiba	SMMSu 84 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	236,20	**4,29**	si
Toshiba	SMMSu 84 HP	MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	236,00	**4,12**	si
Toshiba	SMMSu 84 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	235,80	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E	241,00	**3,78**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	240,50	**3,79**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	240,40	**3,79**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	240,40	**3,84**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	240,50	**3,76**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E	240,50	**3,80**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	240,30	**3,87**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	240,40	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	240,40	**3,91**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	240,30	**3,95**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	240,40	**3,91**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	240,40	**3,96**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	241,40	**3,98**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	241,30	**4,04**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	241,40	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	241,40	**4,00**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	240,90	**3,99**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	240,80	**4,00**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	240,80	**4,05**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	240,90	**3,96**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	240,60	**4,10**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	240,70	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	240,80	**3,97**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	240,40	**3,95**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	240,50	**3,91**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	240,50	**3,96**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	240,50	**3,94**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	240,40	**3,99**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	240,50	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	240,50	**3,95**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	242,00	**4,02**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	241,50	**4,03**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	241,40	**4,04**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	241,40	**4,09**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	241,50	**4,00**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	241,00	**3,99**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	241,00	**4,03**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	240,80	**4,09**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	240,90	**4,04**	si
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	241,00	**3,95**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	240,70	**4,15**	si
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	240,80	**4,05**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	241,00	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	240,50	**3,98**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	240,40	**3,99**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	240,40	**4,04**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	240,50	**3,95**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	242,00	**4,06**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	241,50	**4,02**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	241,50	**4,07**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	241,30	**4,12**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	241,40	**4,08**	si
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	241,50	**3,99**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	240,90	**4,07**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	241,00	**4,03**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	240,80	**4,13**	si
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	240,90	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	240,70	**4,14**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	243,00	**4,11**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	243,00	**4,16**	si
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	242,40	**4,16**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	242,50	**4,11**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	242,30	**4,22**	si
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	242,40	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	242,00	**4,10**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	241,90	**4,17**	si
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	242,00	**4,07**	si
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	241,80	**4,18**	si
Toshiba	SMMSu 86 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	241,60	**4,29**	si
Toshiba	SMMSu 86 HP	MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	241,50	**4,11**	si
Toshiba	SMMSu 86 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	241,40	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	241,20	**4,23**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E	246,00	**3,74**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	245,90	**3,79**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	246,00	**3,72**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E	246,00	**3,76**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	246,00	**3,80**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E+MMY-MUP0801HT8P-E	245,80	**3,83**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	245,90	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	245,90	**3,86**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	245,90	**3,91**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	246,80	**3,99**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	246,90	**3,95**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	246,90	**3,99**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	246,40	**3,94**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	246,30	**3,99**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	246,40	**3,91**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	246,40	**3,95**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	246,20	**4,00**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	246,20	**4,05**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	246,30	**3,96**	si
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	246,40	**3,88**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	246,00	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	246,00	**3,91**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	245,90	**3,94**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	246,00	**3,90**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	246,00	**3,95**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	247,00	**3,97**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	246,90	**4,03**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	247,00	**3,94**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	247,00	**3,99**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	246,50	**3,98**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	246,40	**3,99**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	246,40	**4,04**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	246,50	**3,95**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	246,20	**4,09**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	246,30	**4,05**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	246,40	**3,96**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	246,00	**3,93**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	245,90	**3,98**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	246,00	**3,90**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	246,00	**3,94**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	247,50	**4,01**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	247,00	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	246,90	**4,03**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	246,90	**4,07**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	247,00	**3,99**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	246,50	**3,98**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	246,50	**4,02**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	246,30	**4,07**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	246,40	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	246,50	**3,95**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	246,20	**4,13**	si
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	246,30	**4,04**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	248,50	**4,10**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	248,00	**4,06**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	248,00	**4,11**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	247,80	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	247,90	**4,12**	si
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	248,00	**4,03**	si
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	247,40	**4,11**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	247,50	**4,06**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	247,30	**4,17**	si
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	247,40	**4,07**	si
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	247,20	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP	MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	247,00	**4,06**	si
Toshiba	SMMSu 88 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	246,90	**4,11**	si
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	247,00	**4,02**	si
Toshiba	SMMSu 88 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	246,80	**4,12**	si
Toshiba	SMMSu 88 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	246,60	**4,23**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E	251,40	**3,75**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E	251,50	**3,72**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	251,50	**3,76**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP0801HT8P-E	251,40	**3,82**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	251,40	**3,86**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	252,40	**3,90**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	252,40	**3,94**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	251,80	**3,94**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	251,90	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	251,90	**3,95**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	251,70	**4,00**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	251,80	**3,91**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	251,80	**3,96**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	251,90	**3,88**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	251,50	**3,86**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	251,50	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	251,50	**3,90**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	252,40	**3,98**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	252,50	**3,94**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	252,50	**3,99**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	252,00	**3,93**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	251,90	**3,99**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	252,00	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	252,00	**3,95**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	251,80	**4,00**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	251,80	**4,04**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	251,90	**3,96**	si
Toshiba	SMMSu 90 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	252,00	**3,87**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	251,40	**3,93**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	251,50	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	251,50	**3,94**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	252,50	**3,97**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	252,40	**4,02**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	252,50	**3,94**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	252,50	**3,98**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	252,00	**3,97**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	251,90	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	251,90	**4,03**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	252,00	**3,94**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	251,70	**4,08**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	251,80	**4,04**	si
Toshiba	SMMSu 90 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	251,90	**3,95**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	254,00	**4,04**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	253,50	**4,05**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	253,40	**4,06**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	253,40	**4,11**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	253,50	**4,02**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	253,00	**4,01**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	253,00	**4,06**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	252,80	**4,11**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	252,90	**4,07**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	253,00	**3,98**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	252,70	**4,17**	si
Toshiba	SMMSu 90 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	252,80	**4,08**	si
Toshiba	SMMSu 90 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	252,40	**4,06**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	252,50	**4,02**	si
Toshiba	SMMSu 90 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	252,30	**4,12**	si
Toshiba	SMMSu 90 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	252,40	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	252,20	**4,13**	si
Toshiba	SMMSu 90 HP	MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	252,00	**4,23**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	257,00	**3,72**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP0801HT8P-E	256,90	**3,82**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	257,90	**3,90**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	257,40	**3,86**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	257,40	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	257,20	**3,95**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	257,30	**3,91**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	257,30	**3,96**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	257,40	**3,83**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	257,40	**3,88**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E+MMY-MUP1001HT8P-E	257,00	**3,82**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	257,00	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	258,00	**3,89**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	258,00	**3,94**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	257,40	**3,94**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	257,50	**3,90**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	257,50	**3,94**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	257,30	**3,99**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	257,40	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	257,40	**3,95**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	257,50	**3,87**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	257,00	**3,85**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	257,00	**3,90**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	257,90	**3,97**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	258,00	**3,93**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	258,00	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	257,50	**3,92**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	257,40	**3,98**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	257,50	**3,90**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	257,50	**3,94**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	257,30	**3,99**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	257,30	**4,03**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	257,40	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	257,50	**3,87**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	259,00	**4,00**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	258,90	**4,06**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	259,00	**3,97**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	259,00	**4,02**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	258,50	**4,01**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	258,40	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	258,40	**4,06**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	258,50	**3,98**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	258,20	**4,11**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	258,30	**4,07**	si
Toshiba	SMMSu 92 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	258,40	**3,99**	si
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	258,00	**3,97**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	258,00	**4,01**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	257,80	**4,06**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	257,90	**4,02**	si
Toshiba	SMMSu 92 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	258,00	**3,94**	si
Toshiba	SMMSu 92 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	257,70	**4,12**	si
Toshiba	SMMSu 92 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	257,80	**4,03**	si
Toshiba	SMMSu 92 HP	MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	257,60	**4,13**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP0801HT8P-E	263,40	**3,85**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	262,90	**3,86**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	262,80	**3,87**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	262,80	**3,91**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	262,90	**3,83**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	262,90	**3,87**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1001HT8P-E	262,50	**3,82**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	263,50	**3,89**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	263,00	**3,86**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	263,00	**3,90**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	262,80	**3,94**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	262,90	**3,91**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	262,90	**3,95**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	263,00	**3,83**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	263,00	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	262,50	**3,85**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	263,50	**3,89**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	263,50	**3,93**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	262,90	**3,93**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	263,00	**3,89**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	263,00	**3,94**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	262,80	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	262,90	**3,90**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	262,90	**3,94**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	263,00	**3,87**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	264,40	**4,00**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	264,50	**3,97**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	264,50	**4,01**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	264,00	**3,96**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	263,90	**4,01**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	264,00	**3,93**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	264,00	**3,97**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	263,80	**4,02**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	263,80	**4,07**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	263,90	**3,98**	si
Toshiba	SMMSu 94 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	264,00	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	263,50	**3,97**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	263,40	**3,97**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	263,40	**4,02**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	263,50	**3,94**	si
Toshiba	SMMSu 94 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	263,20	**4,07**	si
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	263,30	**4,03**	si
Toshiba	SMMSu 94 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	263,40	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP	MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	263,10	**4,12**	si
Toshiba	SMMSu 94 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	263,20	**4,04**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP0801HT8P-E	268,40	**3,82**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	268,30	**3,87**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	268,40	**3,79**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	268,40	**3,83**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	268,40	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1001HT8P-E	269,00	**3,85**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	268,50	**3,86**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	268,40	**3,86**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	268,40	**3,91**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	268,50	**3,83**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	268,50	**3,87**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E+MMY-MUP1201HT8P-E	268,00	**3,81**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	269,00	**3,89**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	268,50	**3,85**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	268,50	**3,89**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	268,30	**3,94**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	268,40	**3,90**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	268,40	**3,94**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	268,50	**3,82**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	268,50	**3,87**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	270,00	**3,92**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	270,00	**3,96**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	269,40	**3,96**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	269,50	**3,93**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	269,50	**3,97**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	269,30	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	269,40	**3,94**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	269,40	**3,98**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	269,50	**3,90**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	269,00	**3,92**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	268,90	**3,97**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	269,00	**3,89**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	269,00	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	268,80	**3,98**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	268,80	**4,02**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	268,90	**3,94**	si
Toshiba	SMMSu 96 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	269,00	**3,87**	si
Toshiba	SMMSu 96 HP	MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	268,60	**4,07**	si
Toshiba	SMMSu 96 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	268,70	**4,03**	si
Toshiba	SMMSu 96 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	268,80	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP0801HT8P-E	273,80	**3,83**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	273,90	**3,79**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	273,90	**3,83**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1001HT8P-E	274,00	**3,82**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	273,90	**3,86**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	274,00	**3,79**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	274,00	**3,83**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	274,00	**3,87**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1201HT8P-E	274,50	**3,84**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	274,00	**3,85**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	273,90	**3,86**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	273,90	**3,90**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	274,00	**3,82**	si
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	274,00	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	275,50	**3,92**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	275,00	**3,89**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	275,00	**3,93**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	274,80	**3,97**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	274,90	**3,93**	si
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	274,90	**3,98**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	275,00	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	275,00	**3,90**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	274,40	**3,93**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	274,50	**3,89**	si
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	274,50	**3,93**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	274,30	**3,98**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	274,40	**3,90**	si
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	274,40	**3,94**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	274,50	**3,86**	si
Toshiba	SMMSu 98 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	274,20	**3,98**	si
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	274,20	**4,03**	si
Toshiba	SMMSu 98 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	274,30	**3,95**	si
Toshiba	SMMSu 98 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	274,40	**3,87**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP0801HT8P-E	279,40	**3,76**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	279,40	**3,79**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1001HT8P-E	279,40	**3,82**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	279,50	**3,79**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	279,50	**3,83**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1201HT8P-E	279,50	**3,81**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	279,40	**3,86**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	279,50	**3,79**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	279,50	**3,82**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 100 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	279,50	**3,86**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E+MMY-MUP1401HT8P-E	281,00	**3,88**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	280,50	**3,88**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	280,40	**3,89**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	280,40	**3,93**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	280,50	**3,86**	si
Toshiba	SMMSu 100 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	280,50	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	280,00	**3,85**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	280,00	**3,89**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	279,80	**3,93**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	279,90	**3,90**	si
Toshiba	SMMSu 100 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	279,90	**3,94**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	280,00	**3,82**	si
Toshiba	SMMSu 100 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	280,00	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	279,70	**3,98**	si
Toshiba	SMMSu 100 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	279,80	**3,90**	si
Toshiba	SMMSu 100 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	279,80	**3,94**	si
Toshiba	SMMSu 100 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	279,90	**3,87**	si
Toshiba	SMMSu 100 HP	MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	280,00	**3,80**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP0801HT8P-E	284,90	**3,76**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1001HT8P-E	285,00	**3,75**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	285,00	**3,79**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1201HT8P-E	284,90	**3,82**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	285,00	**3,79**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	285,00	**3,82**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1401HT8P-E	286,00	**3,84**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	285,90	**3,89**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	286,00	**3,82**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	286,00	**3,86**	si
Toshiba	SMMSu 102 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	286,00	**3,90**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	285,50	**3,85**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	285,40	**3,86**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	285,40	**3,90**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	285,50	**3,82**	si
Toshiba	SMMSu 102 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	285,50	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	285,20	**3,94**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	285,30	**3,90**	si
Toshiba	SMMSu 102 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	285,30	**3,94**	si
Toshiba	SMMSu 102 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	285,40	**3,83**	si
Toshiba	SMMSu 102 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	285,40	**3,87**	si
Toshiba	SMMSu 102 HP	MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	285,50	**3,80**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP0801HT8P-E	290,40	**3,72**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1001HT8P-E	290,50	**3,76**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1201HT8P-E	290,50	**3,75**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	290,50	**3,79**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1401HT8P-E	291,40	**3,85**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	291,50	**3,82**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	291,50	**3,86**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E+MMY-MUP1601HT8P-E	291,00	**3,81**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	290,90	**3,86**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	291,00	**3,79**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	291,00	**3,82**	si
Toshiba	SMMSu 104 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	291,00	**3,86**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	290,80	**3,86**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	290,80	**3,90**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	290,90	**3,83**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 104 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	290,90	**3,87**	si
Toshiba	SMMSu 104 HP	MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	291,00	**3,76**	si
Toshiba	SMMSu 104 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	291,00	**3,80**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1001HT8P-E	296,00	**3,72**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1201HT8P-E	296,00	**3,75**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1401HT8P-E	297,00	**3,78**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	297,00	**3,82**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1601HT8P-E	296,40	**3,82**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	296,50	**3,79**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	296,50	**3,82**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	296,30	**3,86**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	296,40	**3,80**	si
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	296,40	**3,83**	si
Toshiba	SMMSu 106 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	296,40	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 106 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	296,50	**3,77**	si
Toshiba	SMMSu 106 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	296,50	**3,80**	si
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1201HT8P-E	301,50	**3,72**	si
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1401HT8P-E	302,50	**3,78**	si
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1601HT8P-E	302,00	**3,75**	si
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	302,00	**3,79**	si
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E+MMY-MUP1801HT8P-E	301,80	**3,83**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	301,90	**3,80**	si
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	301,90	**3,83**	si
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	302,00	**3,73**	si
Toshiba	SMMSu 108 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	302,00	**3,77**	si
Toshiba	SMMSu 108 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E	302,00	**3,80**	si
Toshiba	SMMSu 110 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1401HT8P-E	308,00	**3,75**	si
Toshiba	SMMSu 110 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1601HT8P-E	307,50	**3,76**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 110 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP1801HT8P-E	307,40	**3,76**	si
Toshiba	SMMSu 110 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	307,40	**3,80**	si
Toshiba	SMMSu 110 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E+MMY-MUP2001HT8P-E	307,50	**3,73**	si
Toshiba	SMMSu 110 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E	307,50	**3,77**	si
Toshiba	SMMSu 110 HP	MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	307,50	**3,80**	si
Toshiba	SMMSu 112 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1601HT8P-E	313,00	**3,72**	si
Toshiba	SMMSu 112 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP1801HT8P-E	312,90	**3,76**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 112 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2001HT8P-E	313,00	**3,73**	si
Toshiba	SMMSu 112 HP	MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	313,00	**3,77**	si
Toshiba	SMMSu 114 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP1801HT8P-E	318,40	**3,73**	si
Toshiba	SMMSu 114 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	318,50	**3,74**	si
Toshiba	SMMSu 116 HP	MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2401HT8P-E+MMY-MUP2201HT8P-E+MMY-MUP2201HT8P-E	324,00	**3,71**	si
Toshiba	SMMSu 14 HP Heavy Protection	MMY-MUP1401HT8JP-E	40,0	**4,60**	si
Toshiba	SMMSu 16 HP Heavy Protection	MMY-MUP1601HT8JP-E	45,0	**4,23**	si
Toshiba	SMMSu 18 HP Heavy Protection	MMY-MUP1801HT8JP-E	50,4	**4,23**	si
Toshiba	SMMSu 20 HP Heavy Protection	MMY-MUP2001HT8JP-E	56,0	**3,80**	si
Toshiba	SMMSu 22 HP Heavy Protection	MMY-MUP2201HT8JP-E	61,5	**3,80**	si
Toshiba	SMMSu 16 HP Heavy Protection	MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	44,8	**4,88**	si
Toshiba	SMMSu 18 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	50,4	**4,71**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 20 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	55,9	**4,57**	si
Toshiba	SMMSu 20 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	56,0	**4,59**	si
Toshiba	SMMSu 22 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	62,4	**4,70**	si
Toshiba	SMMSu 22 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	61,5	**4,48**	si
Toshiba	SMMSu 24 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	67,4	**4,43**	si
Toshiba	SMMSu 24 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	68,0	**4,60**	si
Toshiba	SMMSu 24 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	67,0	**4,39**	si
Toshiba	SMMSu 24 HP Heavy Protection	MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	67,2	**4,88**	si
Toshiba	SMMSu 26 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	72,8	**4,41**	si
Toshiba	SMMSu 26 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	73,0	**4,36**	si
Toshiba	SMMSu 26 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	73,5	**4,50**	si
Toshiba	SMMSu 26 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	72,8	**4,76**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 28 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	78,4	**4,06**	si
Toshiba	SMMSu 28 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	78,4	**4,35**	si
Toshiba	SMMSu 28 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	78,5	**4,30**	si
Toshiba	SMMSu 28 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	80,0	**4,60**	si
Toshiba	SMMSu 28 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	78,3	**4,66**	si
Toshiba	SMMSu 28 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	78,4	**4,67**	si
Toshiba	SMMSu 30 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	83,9	**4,04**	si
Toshiba	SMMSu 30 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	84,0	**4,03**	si
Toshiba	SMMSu 30 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	83,9	**4,29**	si
Toshiba	SMMSu 30 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	85,0	**4,40**	si
Toshiba	SMMSu 30 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	84,8	**4,74**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 30 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	83,9	**4,58**	si
Toshiba	SMMSu 30 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	84,0	**4,59**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E	89,4	**3,90**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	89,5	**4,02**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	89,5	**4,00**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	90,4	**4,39**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	90,0	**4,23**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	89,8	**4,53**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	90,4	**4,66**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	89,4	**4,50**	si
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	89,5	**4,51**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 32 HP Heavy Protection	MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	89,6	**4,88**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E	95,0	**3,88**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	95,0	**3,99**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	96,0	**4,10**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	95,4	**4,23**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	95,2	**4,51**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	95,4	**4,47**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	95,9	**4,58**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	96,0	**4,59**	si
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	95,0	**4,45**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 34 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	95,2	**4,79**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E	100,5	**3,87**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	101,5	**4,08**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	101,0	**3,98**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	100,8	**4,23**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	100,8	**4,21**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	100,8	**4,46**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	100,9	**4,41**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	102,4	**4,66**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	101,0	**4,42**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	101,5	**4,53**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	100,5	**4,39**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	100,7	**4,71**	si
Toshiba	SMMSu 36 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	100,8	**4,71**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E	107,0	**3,96**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	106,5	**3,97**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	106,4	**3,99**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	106,3	**4,19**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	106,4	**4,18**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	106,3	**4,40**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	107,4	**4,49**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	106,4	**4,41**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	106,5	**4,37**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	108,0	**4,60**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	107,0	**4,47**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	107,2	**4,77**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	106,3	**4,64**	si
Toshiba	SMMSu 38 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	106,4	**4,65**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E	112,0	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	111,9	**3,98**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	112,0	**3,80**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	111,8	**4,06**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	111,9	**4,16**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	111,9	**4,15**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	112,8	**4,48**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	112,4	**4,35**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	112,0	**4,16**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	111,9	**4,36**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	113,0	**4,44**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	112,0	**4,32**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	113,5	**4,54**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	112,2	**4,60**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	112,8	**4,70**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	111,8	**4,57**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	111,9	**4,58**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	112,0	**4,59**	si
Toshiba	SMMSu 40 HP Heavy Protection	MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	112,0	**4,88**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E	117,4	**3,88**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	117,5	**3,80**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	117,4	**4,04**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	117,4	**4,13**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	118,4	**4,23**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	117,8	**4,34**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	117,5	**4,14**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	117,5	**4,13**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	118,4	**4,43**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	118,0	**4,31**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	117,4	**4,32**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	118,5	**4,39**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	120,0	**4,60**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	117,6	**4,58**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	117,8	**4,54**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	118,3	**4,64**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	118,4	**4,65**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	117,4	**4,52**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	117,5	**4,53**	si
Toshiba	SMMSu 42 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	117,6	**4,81**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E	123,0	**3,72**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	123,0	**3,80**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	122,9	**4,02**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	123,9	**4,20**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	123,4	**4,12**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	123,2	**4,33**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	123,0	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	123,0	**4,11**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	124,0	**4,20**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	123,4	**4,31**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	123,0	**4,10**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	123,9	**4,39**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	123,5	**4,27**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	125,0	**4,46**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	123,2	**4,32**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	123,2	**4,53**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	123,3	**4,49**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	124,8	**4,70**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	123,4	**4,50**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	123,9	**4,59**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	122,9	**4,47**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	124,0	**4,59**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	123,0	**4,48**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	123,1	**4,74**	si
Toshiba	SMMSu 44 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	123,2	**4,74**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E	128,5	**3,72**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	129,4	**4,09**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	128,9	**4,10**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	128,8	**4,12**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	128,5	**4,00**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	129,5	**4,18**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	129,0	**4,10**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	128,8	**4,30**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	128,5	**4,09**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	129,5	**4,17**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	128,9	**4,27**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	130,4	**4,45**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	130,0	**4,34**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	128,7	**4,30**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	128,8	**4,29**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	128,7	**4,48**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	129,8	**4,55**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	128,8	**4,49**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	128,9	**4,45**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	130,4	**4,64**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	129,4	**4,53**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	129,0	**4,46**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	129,5	**4,54**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	128,5	**4,43**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	129,6	**4,79**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	128,7	**4,68**	si
Toshiba	SMMSu 46 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	128,8	**4,69**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	134,4	**4,00**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	134,3	**4,11**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	134,4	**3,95**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	135,0	**4,07**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	134,5	**4,09**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	134,4	**4,10**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	134,0	**3,99**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	135,0	**4,15**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	134,5	**4,08**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	134,3	**4,27**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	136,0	**4,23**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	135,4	**4,33**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	135,0	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	134,2	**4,18**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	134,3	**4,27**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	134,3	**4,26**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	135,2	**4,54**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	134,8	**4,43**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	134,4	**4,26**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	134,3	**4,44**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	135,4	**4,51**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	134,4	**4,41**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	135,9	**4,59**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	134,4	**4,45**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	134,5	**4,41**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	136,0	**4,60**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	135,0	**4,49**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	134,0	**4,39**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	134,6	**4,64**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	135,2	**4,73**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	134,2	**4,62**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	134,3	**4,63**	si
Toshiba	SMMSu 48 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	134,4	**4,64**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	139,8	**4,01**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	139,9	**3,94**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	140,0	**3,99**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	139,9	**4,09**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	140,0	**3,94**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	140,5	**4,05**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	140,0	**4,06**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	139,9	**4,08**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	141,5	**4,21**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	141,0	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	140,8	**4,33**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	140,4	**4,23**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	139,8	**4,16**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	139,8	**4,24**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	140,8	**4,32**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	140,2	**4,42**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	139,9	**4,24**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	139,9	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	140,8	**4,50**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	140,4	**4,39**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	139,8	**4,40**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	140,9	**4,47**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	142,4	**4,64**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	140,0	**4,24**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	139,9	**4,41**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	141,0	**4,47**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	140,0	**4,37**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	141,5	**4,55**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	140,5	**4,45**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	140,0	**4,62**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	140,2	**4,60**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	140,7	**4,67**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	140,8	**4,68**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	139,8	**4,58**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	139,9	**4,58**	si
Toshiba	SMMSu 50 HP Heavy Protection	MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	140,0	**4,59**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	145,4	**3,86**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	145,4	**3,94**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	145,4	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	145,5	**3,93**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	145,5	**3,97**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	145,4	**4,07**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	145,5	**3,92**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	147,0	**4,11**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	146,5	**4,13**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	146,4	**4,14**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	146,0	**4,05**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	145,8	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	145,3	**4,13**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	146,3	**4,30**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	145,8	**4,22**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	145,6	**4,41**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	145,4	**4,14**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	145,4	**4,21**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	146,4	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	145,8	**4,39**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	145,4	**4,20**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	146,3	**4,46**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	145,9	**4,36**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	147,4	**4,52**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	145,5	**4,22**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	145,5	**4,21**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	146,4	**4,46**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	146,0	**4,36**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	145,4	**4,37**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	146,5	**4,43**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	148,0	**4,60**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	145,5	**4,34**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	147,0	**4,50**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	145,6	**4,40**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	145,6	**4,58**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	145,7	**4,55**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	147,2	**4,72**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	145,8	**4,55**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	146,3	**4,63**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	145,3	**4,53**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	146,4	**4,63**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	145,4	**4,54**	si
Toshiba	SMMSu 52 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	145,5	**4,54**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	150,9	**3,86**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	151,0	**3,85**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	151,0	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	150,9	**3,98**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	151,0	**3,92**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	152,0	**4,03**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	151,9	**4,13**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	152,0	**3,98**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	151,5	**4,04**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	151,4	**4,06**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	151,2	**4,23**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,8	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,3	**4,20**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,2	**4,22**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	150,9	**4,11**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	151,9	**4,27**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	151,4	**4,20**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	151,2	**4,38**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	150,9	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	151,9	**4,26**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	151,3	**4,35**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	152,8	**4,51**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	152,4	**4,41**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	151,0	**4,12**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	151,0	**4,19**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	152,0	**4,27**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	151,4	**4,36**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	151,0	**4,18**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	151,9	**4,42**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	151,5	**4,33**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	153,0	**4,48**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	150,9	**4,34**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	152,0	**4,39**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	153,5	**4,55**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,1	**4,37**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,2	**4,37**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,1	**4,54**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	152,2	**4,60**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,2	**4,54**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,3	**4,51**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	152,8	**4,68**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	151,8	**4,58**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	151,4	**4,52**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	151,9	**4,59**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	150,9	**4,49**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	152,0	**4,59**	si
Toshiba	SMMSu 54 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	151,0	**4,50**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E	156,4	**3,79**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	156,5	**3,85**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	156,5	**3,84**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	156,5	**3,91**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	157,4	**4,04**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	157,5	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	157,0	**3,96**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	156,9	**4,05**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	157,0	**3,91**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	156,8	**4,07**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,8	**4,11**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,7	**4,20**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,8	**4,06**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	157,4	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	156,9	**4,18**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	156,8	**4,20**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	156,4	**4,09**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	157,4	**4,24**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	156,9	**4,17**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	156,7	**4,35**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	158,4	**4,31**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	157,8	**4,40**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	157,4	**4,31**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	156,5	**4,10**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	157,5	**4,25**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	157,0	**4,18**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	156,8	**4,35**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	156,5	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	157,5	**4,24**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	156,9	**4,32**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	158,4	**4,47**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	158,0	**4,38**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	156,5	**4,16**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	157,4	**4,39**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	157,0	**4,30**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	158,5	**4,44**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	160,0	**4,60**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,6	**4,27**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,7	**4,35**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,7	**4,34**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	157,6	**4,58**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	157,2	**4,49**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,8	**4,34**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,7	**4,50**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	157,8	**4,56**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	156,8	**4,47**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	158,3	**4,63**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	156,8	**4,51**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	156,9	**4,48**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	158,4	**4,63**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	157,4	**4,54**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	156,4	**4,45**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	157,0	**4,48**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	157,5	**4,55**	si
Toshiba	SMMSu 56 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	156,5	**4,46**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E	162,0	**3,78**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	162,0	**3,84**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	163,0	**3,90**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	163,0	**3,97**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	162,4	**3,97**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	162,5	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	162,3	**4,06**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	162,4	**3,92**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,2	**4,11**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,3	**4,05**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	162,4	**4,09**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	162,3	**4,18**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	162,4	**4,04**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	162,9	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	162,4	**4,16**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	162,3	**4,18**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	163,9	**4,29**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	163,4	**4,23**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	163,2	**4,40**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	162,8	**4,31**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	163,0	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	162,5	**4,16**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	162,4	**4,18**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	162,0	**4,08**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	163,0	**4,22**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	162,5	**4,16**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	162,3	**4,32**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	164,0	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	163,4	**4,37**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	163,0	**4,29**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	162,0	**4,15**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	163,0	**4,21**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	162,4	**4,29**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	163,9	**4,44**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	163,5	**4,35**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	165,0	**4,49**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,2	**4,24**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,2	**4,32**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	163,2	**4,39**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,6	**4,48**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,3	**4,32**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,3	**4,31**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	163,2	**4,55**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,8	**4,45**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	162,2	**4,46**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	163,3	**4,52**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	164,8	**4,67**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	162,4	**4,32**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	162,3	**4,47**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	163,4	**4,52**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	162,4	**4,44**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	163,9	**4,59**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	162,9	**4,50**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	162,4	**4,47**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	162,5	**4,44**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	164,0	**4,59**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	163,0	**4,51**	si
Toshiba	SMMSu 58 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	162,0	**4,42**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E	167,5	**3,78**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	168,5	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	168,0	**3,84**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	168,0	**3,91**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	167,8	**3,98**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	167,9	**3,92**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	168,0	**3,80**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	167,8	**3,97**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	167,8	**4,04**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	167,8	**4,10**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	167,9	**4,04**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	167,9	**4,07**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	167,8	**4,16**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	167,9	**4,03**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	169,4	**4,20**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	168,9	**4,21**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	168,8	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	168,4	**4,15**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	168,2	**4,31**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	168,0	**4,08**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	167,9	**4,17**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	168,0	**4,03**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	168,5	**4,13**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	168,0	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	167,9	**4,16**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	169,5	**4,27**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	169,0	**4,21**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	168,8	**4,37**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	168,4	**4,29**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	167,5	**4,06**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	168,5	**4,20**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	168,0	**4,13**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	167,8	**4,29**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	169,5	**4,26**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	168,9	**4,34**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	168,5	**4,26**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	170,4	**4,48**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	170,0	**4,40**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	167,7	**4,22**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	168,7	**4,37**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	168,2	**4,30**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	168,0	**4,47**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	167,8	**4,22**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	167,8	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	168,8	**4,36**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	168,2	**4,45**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	167,8	**4,28**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	168,7	**4,51**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	168,3	**4,42**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	169,8	**4,56**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	167,9	**4,30**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	167,9	**4,29**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	168,8	**4,51**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	168,4	**4,42**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	167,8	**4,43**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	168,9	**4,49**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	170,4	**4,63**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	167,9	**4,40**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	169,4	**4,55**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	168,0	**4,29**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	167,9	**4,44**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	169,0	**4,49**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	168,0	**4,41**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	169,5	**4,55**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	168,5	**4,47**	si
Toshiba	SMMSu 60 HP Heavy Protection	MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	167,5	**4,39**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E	174,0	**3,83**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	173,5	**3,84**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	173,4	**3,85**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	173,4	**3,92**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	173,5	**3,80**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	173,3	**3,96**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	173,4	**3,96**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	173,4	**4,03**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	173,3	**4,08**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	173,4	**4,02**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	174,4	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	174,3	**4,21**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	174,4	**4,08**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	173,9	**4,14**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	173,8	**4,15**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	173,6	**4,30**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	173,4	**4,08**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	173,5	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	173,5	**4,06**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	173,4	**4,15**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	173,5	**4,02**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	175,0	**4,18**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	174,5	**4,19**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	174,4	**4,21**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	174,0	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	173,8	**4,28**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	174,0	**4,11**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	173,5	**4,12**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	173,4	**4,14**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	175,0	**4,25**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	174,5	**4,18**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	174,3	**4,34**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	173,9	**4,26**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	176,0	**4,31**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	175,4	**4,39**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	175,0	**4,31**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	174,2	**4,27**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	173,7	**4,28**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	173,6	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	173,3	**4,20**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	174,3	**4,34**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	173,8	**4,27**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	173,6	**4,44**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	173,3	**4,27**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	174,3	**4,33**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	173,7	**4,41**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	175,2	**4,55**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	174,8	**4,46**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	173,4	**4,20**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	173,4	**4,27**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	174,4	**4,34**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	173,8	**4,42**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	173,4	**4,26**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	174,3	**4,48**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	173,9	**4,39**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	175,4	**4,53**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	173,3	**4,40**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	174,4	**4,45**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	175,9	**4,59**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	173,5	**4,28**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	173,5	**4,27**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	174,4	**4,48**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	174,0	**4,40**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	173,4	**4,40**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	174,5	**4,46**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	176,0	**4,60**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	173,5	**4,38**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	175,0	**4,52**	si
Toshiba	SMMSu 62 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	174,0	**4,44**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E	179,0	**3,78**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	178,9	**3,85**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	179,0	**3,74**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	179,0	**3,80**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	178,8	**3,90**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	178,9	**3,96**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	178,9	**3,95**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	178,9	**4,01**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	179,8	**4,13**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	179,9	**4,07**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	179,4	**4,06**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	179,3	**4,14**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	179,4	**4,01**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	179,2	**4,15**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	179,0	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	179,0	**4,02**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	178,9	**4,07**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	179,0	**4,01**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	180,0	**4,11**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	179,9	**4,19**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	180,0	**4,07**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	179,5	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	179,4	**4,13**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	179,2	**4,28**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	179,0	**4,04**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	178,9	**4,13**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	179,0	**4,00**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	180,5	**4,16**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	180,0	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	179,9	**4,19**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	179,5	**4,11**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	179,3	**4,26**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	181,5	**4,29**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	181,0	**4,23**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	180,8	**4,39**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	180,4	**4,31**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	180,0	**4,23**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,2	**4,19**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,1	**4,28**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,2	**4,14**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,8	**4,25**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,3	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,2	**4,27**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	178,8	**4,18**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,8	**4,31**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,3	**4,25**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,1	**4,41**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	180,8	**4,38**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	180,2	**4,46**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	179,8	**4,38**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	178,9	**4,18**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	179,9	**4,32**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	179,4	**4,25**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	179,2	**4,41**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	178,9	**4,25**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	179,9	**4,31**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	179,3	**4,39**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	180,8	**4,52**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	180,4	**4,44**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	178,9	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	179,8	**4,44**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	179,4	**4,36**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	180,9	**4,49**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	182,4	**4,63**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	179,0	**4,19**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	179,0	**4,25**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	180,0	**4,31**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	179,4	**4,39**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	179,0	**4,24**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	179,9	**4,45**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	179,5	**4,37**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	181,0	**4,50**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	178,9	**4,37**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	180,0	**4,42**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	181,5	**4,56**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	179,0	**4,35**	si
Toshiba	SMMSu 64 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	180,5	**4,48**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E	184,4	**3,79**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	184,5	**3,74**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	184,5	**3,80**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	184,4	**3,89**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	184,4	**3,94**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	185,4	**4,00**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	185,4	**4,06**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	184,8	**4,06**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	184,9	**4,01**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	184,7	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	184,8	**4,02**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	184,5	**3,95**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	184,5	**3,94**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	184,5	**4,00**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	185,4	**4,11**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	185,5	**4,06**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	185,0	**4,05**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	184,9	**4,12**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	185,0	**4,00**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	184,8	**4,14**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	184,4	**4,05**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	184,5	**4,00**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	185,5	**4,09**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	185,4	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	185,5	**4,05**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	185,0	**4,10**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	184,9	**4,12**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	184,7	**4,26**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	187,0	**4,21**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	186,5	**4,22**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	186,4	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	186,0	**4,16**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	185,8	**4,30**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	185,4	**4,23**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	184,6	**4,19**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	184,7	**4,13**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	184,8	**4,17**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	184,7	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	184,8	**4,13**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	185,3	**4,22**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	184,8	**4,24**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	184,7	**4,25**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	186,3	**4,36**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	185,8	**4,30**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	185,6	**4,45**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	185,2	**4,37**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	185,4	**4,23**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	184,9	**4,24**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	184,8	**4,25**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	184,4	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	185,4	**4,29**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	184,9	**4,23**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	184,7	**4,38**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	186,4	**4,35**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	185,8	**4,43**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	185,4	**4,35**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	184,4	**4,22**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	185,4	**4,28**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	184,8	**4,36**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	186,3	**4,49**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	185,9	**4,41**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	187,4	**4,54**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	184,5	**4,17**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	185,5	**4,30**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	185,0	**4,24**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	184,8	**4,39**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	184,5	**4,23**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	185,5	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	184,9	**4,36**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	186,4	**4,49**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	186,0	**4,41**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	184,5	**4,22**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	185,4	**4,42**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	185,0	**4,34**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	186,5	**4,47**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	188,0	**4,60**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	184,4	**4,35**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	185,5	**4,39**	si
Toshiba	SMMSu 66 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	187,0	**4,52**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	190,0	**3,75**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	189,9	**3,88**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	190,9	**3,99**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	190,4	**3,94**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	190,4	**4,00**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	190,2	**4,07**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	190,3	**4,01**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	190,4	**3,90**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	190,0	**3,88**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	190,0	**3,94**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	191,0	**3,99**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	191,0	**4,05**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	190,4	**4,05**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	190,5	**4,00**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	190,3	**4,13**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	190,4	**4,01**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	190,0	**3,93**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	190,0	**3,99**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	190,9	**4,10**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	191,0	**4,04**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	190,5	**4,03**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	190,4	**4,11**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	190,5	**3,99**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	190,3	**4,12**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	192,0	**4,14**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	191,9	**4,22**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	192,0	**4,10**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	191,5	**4,15**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	191,4	**4,16**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	191,2	**4,30**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	191,0	**4,09**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	190,8	**4,23**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,2	**4,06**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,2	**4,12**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,2	**4,18**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,3	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,3	**4,15**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,2	**4,24**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,3	**4,11**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	191,8	**4,27**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	191,3	**4,28**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	191,2	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,8	**4,22**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	190,6	**4,37**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	190,4	**4,16**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	190,3	**4,24**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	190,4	**4,12**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	190,9	**4,21**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	190,4	**4,22**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	190,3	**4,23**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	191,9	**4,34**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	191,4	**4,28**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	191,2	**4,42**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	190,8	**4,35**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	189,9	**4,14**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	190,9	**4,27**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	190,4	**4,21**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	190,2	**4,35**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	191,9	**4,33**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	191,3	**4,40**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	190,9	**4,33**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	192,8	**4,53**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	192,4	**4,45**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	191,0	**4,21**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	190,5	**4,22**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	190,4	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	190,0	**4,15**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	191,0	**4,27**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	190,5	**4,21**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	190,3	**4,36**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	192,0	**4,33**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	191,4	**4,41**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	191,0	**4,33**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	190,0	**4,21**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	191,0	**4,26**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	190,4	**4,34**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	191,9	**4,46**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	191,5	**4,38**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	193,0	**4,51**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	190,0	**4,20**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	190,9	**4,39**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	190,5	**4,31**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	192,0	**4,44**	si
Toshiba	SMMSu 68 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	193,5	**4,56**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	196,4	**3,93**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	195,9	**3,94**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	195,8	**3,95**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	195,8	**4,01**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	195,9	**3,90**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	195,5	**3,88**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	196,5	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	196,0	**3,93**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	196,0	**3,99**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	195,8	**4,05**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	195,9	**4,00**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	196,0	**3,90**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	195,5	**3,93**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	196,5	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	196,5	**4,04**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	195,9	**4,04**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	196,0	**3,98**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	195,8	**4,11**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	195,9	**4,00**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	197,4	**4,14**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	197,5	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	197,0	**4,08**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	196,9	**4,15**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	197,0	**4,04**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	196,8	**4,16**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	196,5	**4,09**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	196,4	**4,10**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	196,2	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	195,7	**4,05**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	195,8	**4,05**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	195,8	**4,11**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	195,7	**4,16**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	195,8	**4,10**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	196,8	**4,20**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	196,7	**4,28**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	196,8	**4,16**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	196,3	**4,21**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	196,2	**4,22**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	196,0	**4,36**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	195,8	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	195,9	**4,11**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	195,9	**4,14**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	195,8	**4,22**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	195,9	**4,10**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	197,4	**4,25**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	196,9	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	196,8	**4,27**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	196,4	**4,21**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	196,2	**4,34**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	196,4	**4,19**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	195,9	**4,20**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	195,8	**4,21**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	197,4	**4,31**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	196,9	**4,25**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	196,7	**4,40**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	196,3	**4,32**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	198,4	**4,37**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	197,8	**4,44**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	197,4	**4,37**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	196,0	**4,14**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	195,9	**4,22**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	196,0	**4,10**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	196,5	**4,19**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	196,0	**4,20**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	195,9	**4,21**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	197,5	**4,31**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	197,0	**4,26**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	196,8	**4,40**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	196,4	**4,33**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	195,5	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	196,5	**4,25**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	196,0	**4,19**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	195,8	**4,33**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	197,5	**4,31**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	196,9	**4,38**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	196,5	**4,30**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	198,4	**4,50**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	198,0	**4,42**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	195,5	**4,19**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	196,5	**4,24**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	195,9	**4,31**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	197,4	**4,43**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	197,0	**4,36**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	198,5	**4,48**	si
Toshiba	SMMSu 70 HP Heavy Protection	MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	200,0	**4,60**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	201,4	**3,88**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	201,3	**3,94**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	201,4	**3,84**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	201,4	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	202,0	**3,92**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	201,5	**3,93**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	201,4	**3,94**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	201,4	**4,00**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	201,5	**3,89**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	201,0	**3,87**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	202,0	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	201,5	**3,92**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	201,5	**3,98**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	201,3	**4,04**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	201,4	**3,99**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	201,5	**3,89**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	203,0	**4,02**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	203,0	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	202,4	**4,08**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	202,5	**4,03**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	202,3	**4,15**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	202,4	**4,04**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	202,0	**4,02**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	201,9	**4,09**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	202,0	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	201,8	**4,10**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	201,6	**4,23**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	201,2	**3,99**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	201,3	**4,04**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	201,3	**4,03**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	201,3	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	202,2	**4,20**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	202,3	**4,15**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	201,8	**4,13**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	201,7	**4,21**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	201,8	**4,09**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	201,6	**4,22**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	201,4	**4,04**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	201,4	**4,10**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	201,3	**4,14**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	201,4	**4,09**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	202,4	**4,18**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	202,3	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	202,4	**4,14**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	201,9	**4,19**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	201,8	**4,21**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	201,6	**4,34**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	201,4	**4,12**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	201,3	**4,20**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	201,4	**4,08**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	202,9	**4,23**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	202,4	**4,24**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	202,3	**4,25**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	201,9	**4,19**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	201,7	**4,32**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	203,9	**4,35**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	203,4	**4,30**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	203,2	**4,44**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	202,8	**4,36**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	202,4	**4,29**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	201,4	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	201,5	**4,09**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	201,5	**4,13**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	201,4	**4,20**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	201,5	**4,09**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	203,0	**4,23**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	202,5	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	202,4	**4,26**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	202,0	**4,19**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	201,8	**4,32**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	202,0	**4,17**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	201,5	**4,18**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	201,4	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	203,0	**4,29**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	202,5	**4,24**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	202,3	**4,37**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	201,9	**4,30**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	204,0	**4,35**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	203,4	**4,42**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	203,0	**4,35**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	201,0	**4,11**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	202,0	**4,23**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	201,5	**4,17**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	201,3	**4,31**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	203,0	**4,28**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	202,4	**4,35**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	202,0	**4,28**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	203,9	**4,47**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	203,5	**4,40**	si
Toshiba	SMMSu 72 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	205,0	**4,51**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	206,8	**3,89**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	206,9	**3,84**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	206,9	**3,89**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	207,0	**3,87**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	206,9	**3,94**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	207,0	**3,84**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	207,0	**3,89**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	207,5	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	207,0	**3,92**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	206,9	**3,93**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	206,9	**3,99**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	207,0	**3,88**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	208,5	**4,02**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	208,0	**3,97**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	208,0	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	207,8	**4,08**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	207,9	**4,03**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	208,0	**3,93**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	207,4	**4,02**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	207,5	**3,98**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	207,3	**4,09**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	207,4	**3,99**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	207,2	**4,10**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	206,8	**3,98**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	206,8	**4,03**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	207,8	**4,08**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	207,8	**4,14**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	207,2	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	207,3	**4,09**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	207,1	**4,21**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	207,2	**4,10**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	206,9	**4,03**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	206,9	**4,02**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	206,9	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	207,8	**4,18**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	207,9	**4,13**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	207,4	**4,12**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	207,3	**4,19**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	207,4	**4,08**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	207,2	**4,21**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	206,8	**4,13**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	206,9	**4,08**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	207,9	**4,17**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	207,8	**4,24**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	207,9	**4,13**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	207,4	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	207,3	**4,19**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	207,1	**4,32**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	209,4	**4,27**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	208,9	**4,28**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	208,8	**4,29**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	208,4	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	208,2	**4,36**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	207,8	**4,29**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	207,0	**4,03**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	207,0	**4,09**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	206,9	**4,13**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	207,0	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	208,0	**4,17**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	207,9	**4,24**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	208,0	**4,13**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	207,5	**4,18**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	207,4	**4,19**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	207,2	**4,32**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	207,0	**4,11**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	206,9	**4,18**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	207,0	**4,07**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	208,5	**4,21**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	208,0	**4,22**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	207,9	**4,24**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	207,5	**4,17**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	207,3	**4,30**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	209,5	**4,33**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	209,0	**4,28**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	208,8	**4,41**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	208,4	**4,34**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	208,0	**4,28**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	207,5	**4,15**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	207,0	**4,16**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	206,9	**4,18**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	208,5	**4,27**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	208,0	**4,22**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	207,8	**4,35**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	207,4	**4,28**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	209,5	**4,32**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	208,9	**4,39**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	208,5	**4,32**	si
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	210,4	**4,51**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 74 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	210,0	**4,43**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	212,4	**3,79**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	212,4	**3,84**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	212,4	**3,88**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	212,5	**3,84**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	212,5	**3,89**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	212,5	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	212,4	**3,93**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	212,5	**3,83**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	212,5	**3,88**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	214,0	**3,96**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	213,5	**3,96**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	213,4	**3,97**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	213,4	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	213,5	**3,93**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	213,0	**3,92**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	213,0	**3,97**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	212,8	**4,03**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	212,9	**3,98**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	213,0	**3,88**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	212,7	**4,10**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	212,8	**3,99**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	212,3	**3,97**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	213,3	**4,07**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	212,8	**4,02**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	212,8	**4,08**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	212,6	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	212,7	**4,09**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	212,8	**3,99**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	212,4	**3,97**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	212,4	**4,02**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	213,4	**4,07**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	213,4	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	212,8	**4,12**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	212,9	**4,07**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	212,7	**4,20**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	212,8	**4,09**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	212,4	**4,01**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	212,4	**4,07**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	213,3	**4,17**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	213,4	**4,12**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	212,9	**4,11**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	212,8	**4,18**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	212,9	**4,07**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	212,7	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	214,4	**4,21**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	214,3	**4,28**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	214,4	**4,17**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	213,9	**4,22**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	213,8	**4,23**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	213,6	**4,36**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	213,4	**4,16**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	213,2	**4,29**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	212,5	**4,02**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	212,5	**4,02**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	212,5	**4,07**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	213,4	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	213,5	**4,12**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	213,0	**4,11**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	212,9	**4,18**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	213,0	**4,07**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	212,8	**4,19**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	212,4	**4,11**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	212,5	**4,06**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	213,5	**4,15**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	213,4	**4,22**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	213,5	**4,11**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	213,0	**4,16**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	212,9	**4,17**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	212,7	**4,30**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	215,0	**4,25**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	214,5	**4,26**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	214,4	**4,28**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	214,0	**4,21**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	213,8	**4,34**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	213,4	**4,27**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	212,5	**4,10**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	212,4	**4,17**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	212,5	**4,06**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	214,0	**4,20**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	213,5	**4,20**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	213,4	**4,22**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	213,0	**4,15**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	212,8	**4,28**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	215,0	**4,31**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	214,5	**4,26**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	214,3	**4,39**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	213,9	**4,32**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	213,5	**4,25**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	216,0	**4,36**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	215,4	**4,43**	si
Toshiba	SMMSu 76 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	215,0	**4,36**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	217,9	**3,79**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	218,0	**3,79**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	218,0	**3,84**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	217,9	**3,87**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	218,0	**3,83**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	218,0	**3,88**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	219,0	**3,91**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	218,9	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	219,0	**3,87**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	219,0	**3,93**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	218,5	**3,91**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	218,4	**3,92**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	218,4	**3,98**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	218,5	**3,88**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	218,2	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	218,3	**3,99**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	218,4	**3,89**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	218,8	**4,01**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	218,3	**4,02**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	218,2	**4,03**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	218,2	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	218,3	**3,98**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	217,9	**3,96**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	218,9	**4,06**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	218,4	**4,01**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	218,4	**4,07**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	218,2	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	218,3	**4,08**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	218,4	**3,98**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	217,9	**4,01**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	218,9	**4,05**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	218,9	**4,11**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	218,3	**4,11**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	218,4	**4,06**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	218,2	**4,18**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	218,3	**4,07**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	219,8	**4,21**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	219,9	**4,16**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	219,4	**4,15**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	219,3	**4,22**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	219,4	**4,11**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	219,2	**4,23**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	218,9	**4,15**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	218,8	**4,17**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	218,6	**4,29**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	218,0	**3,96**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	218,0	**4,01**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	219,0	**4,06**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	219,0	**4,11**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	218,4	**4,11**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	218,5	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	218,3	**4,18**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	218,4	**4,08**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	218,0	**4,00**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	218,0	**4,06**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	218,9	**4,15**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	219,0	**4,11**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	218,5	**4,09**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	218,4	**4,16**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	218,5	**4,06**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	218,3	**4,17**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	220,0	**4,19**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	219,9	**4,26**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	220,0	**4,15**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	219,5	**4,20**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	219,4	**4,21**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	219,2	**4,34**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	219,0	**4,15**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	218,8	**4,27**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	217,9	**4,10**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	218,0	**4,05**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	219,0	**4,14**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	218,9	**4,21**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	219,0	**4,10**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	218,5	**4,14**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	218,4	**4,16**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	218,2	**4,28**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	220,5	**4,23**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	220,0	**4,24**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	219,9	**4,26**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	219,5	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	219,3	**4,32**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	218,9	**4,25**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	221,5	**4,35**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	221,0	**4,29**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	220,8	**4,42**	si
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	220,4	**4,36**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 78 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	220,0	**4,29**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E	223,4	**3,74**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	223,5	**3,79**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	223,5	**3,78**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	223,5	**3,83**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	224,4	**3,91**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	224,5	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	224,5	**3,92**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	224,0	**3,86**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	223,9	**3,92**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	224,0	**3,83**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	224,0	**3,88**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	223,8	**3,93**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	223,8	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	223,9	**3,89**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	224,0	**3,80**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	223,8	**3,96**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	223,7	**4,02**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	223,8	**3,93**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	223,8	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	224,4	**4,00**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	223,9	**4,01**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	223,8	**4,02**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	223,8	**4,07**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	223,9	**3,97**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	223,4	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	224,4	**4,05**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	223,9	**4,00**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	223,9	**4,05**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	223,7	**4,11**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	223,8	**4,07**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	223,9	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	225,4	**4,09**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	225,4	**4,15**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	224,8	**4,15**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	224,9	**4,10**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	224,7	**4,22**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	224,8	**4,11**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	224,4	**4,09**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	224,3	**4,16**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	224,4	**4,05**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	224,2	**4,17**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	224,0	**4,29**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	223,5	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	224,5	**4,05**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	224,0	**4,00**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	224,0	**4,06**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	223,8	**4,12**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	223,9	**4,07**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	224,0	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	223,5	**4,00**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	224,5	**4,04**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	224,5	**4,10**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	223,9	**4,10**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	224,0	**4,05**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	223,8	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	223,9	**4,06**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	225,4	**4,19**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	225,5	**4,14**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	225,0	**4,13**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	224,9	**4,20**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	225,0	**4,10**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	224,8	**4,21**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	224,5	**4,14**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	224,4	**4,15**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	224,2	**4,27**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	223,5	**3,99**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	223,5	**4,05**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	224,4	**4,14**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	224,5	**4,09**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	224,0	**4,08**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	223,9	**4,15**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	224,0	**4,05**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	223,8	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	225,5	**4,17**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	225,4	**4,24**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	225,5	**4,14**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	225,0	**4,18**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	224,9	**4,19**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	224,7	**4,32**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	224,5	**4,14**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	224,3	**4,25**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	227,0	**4,27**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	226,5	**4,28**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	226,4	**4,29**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	226,0	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	225,8	**4,35**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	225,4	**4,29**	si
Toshiba	SMMSu 80 HP Heavy Protection	MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	225,0	**4,23**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E	229,0	**3,74**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	229,0	**3,78**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	230,0	**3,82**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	230,0	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	229,4	**3,87**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	229,5	**3,83**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	229,5	**3,88**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	229,3	**3,93**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	229,4	**3,84**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	229,4	**3,89**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	229,5	**3,80**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	229,2	**3,96**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	229,3	**3,92**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	229,3	**3,97**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	229,4	**3,95**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	229,3	**4,01**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	229,4	**3,92**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	229,4	**3,97**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	229,9	**3,99**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	229,4	**4,00**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	229,3	**4,01**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	229,3	**4,06**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	229,4	**3,96**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	230,9	**4,09**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	230,4	**4,04**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	230,4	**4,09**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	230,2	**4,15**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	230,3	**4,10**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	230,4	**4,01**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	229,8	**4,09**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	229,9	**4,05**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	229,7	**4,16**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	229,8	**4,06**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	229,6	**4,17**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	230,0	**3,99**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	229,5	**4,00**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	229,4	**4,01**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	229,4	**4,06**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	229,5	**3,97**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	229,0	**3,94**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	230,0	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	229,5	**3,99**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	229,5	**4,05**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	229,3	**4,10**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	229,4	**4,06**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	229,5	**3,96**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	231,0	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	231,0	**4,14**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	230,4	**4,14**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	230,5	**4,09**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	230,3	**4,20**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	230,4	**4,10**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	230,0	**4,08**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	229,9	**4,14**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	230,0	**4,05**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	229,8	**4,16**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	229,6	**4,27**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	229,0	**3,99**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	230,0	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	230,0	**4,08**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	229,4	**4,08**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	229,5	**4,04**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	229,3	**4,15**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	229,4	**4,05**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	230,9	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	231,0	**4,13**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	230,5	**4,12**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	230,4	**4,18**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	230,5	**4,08**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	230,3	**4,20**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	230,0	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	229,9	**4,14**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	229,7	**4,25**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	232,0	**4,21**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	231,9	**4,28**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	232,0	**4,18**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	231,5	**4,22**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	231,4	**4,23**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	231,2	**4,35**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	231,0	**4,17**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	230,8	**4,29**	si
Toshiba	SMMSu 82 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	230,4	**4,23**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E	234,5	**3,74**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	235,5	**3,82**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	235,0	**3,78**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	235,0	**3,83**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	234,8	**3,88**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	234,9	**3,84**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	234,9	**3,89**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	235,0	**3,76**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	235,0	**3,80**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	234,8	**3,87**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	234,8	**3,92**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	234,8	**3,96**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	234,9	**3,92**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	234,9	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	234,9	**3,94**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	234,8	**4,00**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	234,9	**3,91**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	234,9	**3,96**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	236,4	**4,03**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	235,9	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	235,8	**4,05**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	235,8	**4,10**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	235,9	**4,00**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	235,4	**3,99**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	235,4	**4,04**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	235,2	**4,10**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	235,3	**4,05**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	235,4	**3,96**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	235,1	**4,16**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	235,2	**4,06**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	235,0	**3,95**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	234,9	**4,01**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	235,0	**3,91**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	235,0	**3,96**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	235,5	**3,98**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	235,0	**3,99**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	234,9	**4,00**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	234,9	**4,05**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	235,0	**3,96**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	236,5	**4,08**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	236,0	**4,03**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	236,0	**4,08**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	235,8	**4,14**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	235,9	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	236,0	**4,00**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	235,4	**4,08**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	235,5	**4,04**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	235,3	**4,15**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	235,4	**4,05**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	235,2	**4,16**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	234,5	**3,93**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	235,5	**4,03**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	235,0	**3,98**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	235,0	**4,03**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	234,8	**4,09**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	234,9	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	235,0	**3,95**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	236,5	**4,07**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	236,5	**4,12**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	235,9	**4,12**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	236,0	**4,08**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	235,8	**4,19**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	235,9	**4,09**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	235,5	**4,07**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	235,4	**4,13**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	235,5	**4,03**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	235,3	**4,14**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	235,1	**4,25**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	237,4	**4,21**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	237,5	**4,17**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	237,0	**4,16**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	236,9	**4,22**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	237,0	**4,12**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	236,8	**4,23**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	236,5	**4,16**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	236,4	**4,17**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	236,2	**4,29**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	236,0	**4,12**	si
Toshiba	SMMSu 84 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	235,8	**4,23**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E	241,0	**3,78**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	240,5	**3,79**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	240,4	**3,79**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	240,4	**3,84**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	240,5	**3,76**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	240,5	**3,80**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	240,3	**3,87**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	240,4	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	240,4	**3,91**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	240,3	**3,95**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	240,4	**3,91**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	240,4	**3,96**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	241,4	**3,98**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	241,3	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	241,4	**3,95**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	241,4	**4,00**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	240,9	**3,99**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	240,8	**4,00**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	240,8	**4,05**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	240,9	**3,96**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	240,6	**4,10**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	240,7	**4,06**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	240,8	**3,97**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	240,4	**3,95**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	240,5	**3,91**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	240,5	**3,96**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	240,5	**3,94**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	240,4	**3,99**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	240,5	**3,91**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	240,5	**3,95**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	242,0	**4,02**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	241,5	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	241,4	**4,04**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	241,4	**4,09**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	241,5	**4,00**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	241,0	**3,99**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	241,0	**4,03**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	240,8	**4,09**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	240,9	**4,04**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	241,0	**3,95**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	240,7	**4,15**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	240,8	**4,05**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	241,0	**3,97**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	240,5	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	240,4	**3,99**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	240,4	**4,04**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	240,5	**3,95**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	242,0	**4,06**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	241,5	**4,02**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	241,5	**4,07**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	241,3	**4,12**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	241,4	**4,08**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	241,5	**3,99**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	240,9	**4,07**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	241,0	**4,03**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	240,8	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia **Denominazione commerciale**

aria/aria VRF/VRV COP minimo 3,9 (on-off)

>35 kW COP minimo 3,705 (inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	240,9	**4,04**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	240,7	**4,14**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	243,0	**4,11**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	243,0	**4,16**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	242,4	**4,16**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	242,5	**4,11**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	242,3	**4,22**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	242,4	**4,12**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	242,0	**4,10**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	241,9	**4,17**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	242,0	**4,07**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	241,8	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	241,6	**4,29**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	241,5	**4,11**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	241,4	**4,12**	si
Toshiba	SMMSu 86 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	241,2	**4,23**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E	246,0	**3,74**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	245,9	**3,79**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	246,0	**3,72**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	246,0	**3,76**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	246,0	**3,80**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E+MMY-MUP0801HT8JP-E	245,8	**3,83**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	245,9	**3,87**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	245,9	**3,86**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	245,9	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	246,8	**3,99**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	246,9	**3,95**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	246,9	**3,99**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	246,4	**3,94**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	246,3	**3,99**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	246,4	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	246,4	**3,95**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	246,2	**4,00**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	246,2	**4,05**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	246,3	**3,96**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	246,4	**3,88**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	246,0	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	246,0	**3,91**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	245,9	**3,94**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	246,0	**3,90**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	246,0	**3,95**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	247,0	**3,97**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	246,9	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	247,0	**3,94**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	247,0	**3,99**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	246,5	**3,98**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	246,4	**3,99**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	246,4	**4,04**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	246,5	**3,95**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	246,2	**4,09**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	246,3	**4,05**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	246,4	**3,96**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	246,0	**3,93**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	245,9	**3,98**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	246,0	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	246,0	**3,94**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	247,5	**4,01**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	247,0	**4,02**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	246,9	**4,03**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	246,9	**4,07**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	247,0	**3,99**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	246,5	**3,98**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	246,5	**4,02**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	246,3	**4,07**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	246,4	**4,03**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	246,5	**3,95**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	246,2	**4,13**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	246,3	**4,04**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	248,5	**4,10**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	248,0	**4,06**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	248,0	**4,11**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	247,8	**4,16**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	247,9	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	248,0	**4,03**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	247,4	**4,11**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	247,5	**4,06**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	247,3	**4,17**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	247,4	**4,07**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	247,2	**4,18**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	247,0	**4,06**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	246,9	**4,11**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	247,0	**4,02**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	246,8	**4,12**	si
Toshiba	SMMSu 88 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	246,6	**4,23**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E	251,4	**3,75**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	251,5	**3,72**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	251,5	**3,76**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP0801HT8JP-E	251,4	**3,82**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	251,4	**3,86**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	252,4	**3,90**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	252,4	**3,94**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	251,8	**3,94**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	251,9	**3,91**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	251,9	**3,95**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	251,7	**4,00**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	251,8	**3,91**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	251,8	**3,96**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	251,9	**3,88**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	251,5	**3,86**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	251,5	**3,86**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	251,5	**3,90**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	252,4	**3,98**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	252,5	**3,94**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	252,5	**3,99**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	252,0	**3,93**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	251,9	**3,99**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	252,0	**3,90**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	252,0	**3,95**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	251,8	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	251,8	**4,04**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	251,9	**3,96**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	252,0	**3,87**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	251,4	**3,93**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	251,5	**3,90**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	251,5	**3,94**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	252,5	**3,97**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	252,4	**4,02**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	252,5	**3,94**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	252,5	**3,98**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	252,0	**3,97**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	251,9	**3,98**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	251,9	**4,03**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	252,0	**3,94**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	251,7	**4,08**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	251,8	**4,04**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	251,9	**3,95**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	254,0	**4,04**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	253,5	**4,05**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	253,4	**4,06**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	253,4	**4,11**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	253,5	**4,02**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	253,0	**4,01**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	253,0	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	252,8	**4,11**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	252,9	**4,07**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	253,0	**3,98**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	252,7	**4,17**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	252,8	**4,08**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	252,4	**4,06**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	252,5	**4,02**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	252,3	**4,12**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	252,4	**4,03**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	252,2	**4,13**	si
Toshiba	SMMSu 90 HP Heavy Protection	MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	252,0	**4,23**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	257,0	**3,72**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP0801HT8JP-E	256,9	**3,82**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	257,9	**3,90**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	257,4	**3,86**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	257,4	**3,90**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	257,2	**3,95**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	257,3	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	257,3	**3,96**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	257,4	**3,83**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	257,4	**3,88**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E+MMY-MUP1001HT8JP-E	257,0	**3,82**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	257,0	**3,86**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	258,0	**3,89**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	258,0	**3,94**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	257,4	**3,94**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	257,5	**3,90**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	257,5	**3,94**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	257,3	**3,99**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	257,4	**3,91**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	257,4	**3,95**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	257,5	**3,87**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	257,0	**3,85**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	257,0	**3,90**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	257,9	**3,97**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	258,0	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	258,0	**3,98**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	257,5	**3,92**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	257,4	**3,98**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	257,5	**3,90**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	257,5	**3,94**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	257,3	**3,99**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	257,3	**4,03**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	257,4	**3,95**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	257,5	**3,87**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	259,0	**4,00**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	258,9	**4,06**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	259,0	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	259,0	**4,02**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	258,5	**4,01**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	258,4	**4,02**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	258,4	**4,06**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	258,5	**3,98**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	258,2	**4,11**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	258,3	**4,07**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	258,4	**3,99**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	258,0	**3,97**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	258,0	**4,01**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	257,8	**4,06**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	257,9	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	258,0	**3,94**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	257,7	**4,12**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	257,8	**4,03**	si
Toshiba	SMMSu 92 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	257,6	**4,13**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP0801HT8JP-E	263,4	**3,85**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	262,9	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	262,8	**3,87**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	262,8	**3,91**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	262,9	**3,83**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	262,9	**3,87**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1001HT8JP-E	262,5	**3,82**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	263,5	**3,89**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	263,0	**3,86**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	263,0	**3,90**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	262,8	**3,94**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	262,9	**3,91**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	262,9	**3,95**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	263,0	**3,83**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	263,0	**3,87**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	262,5	**3,85**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	263,5	**3,89**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	263,5	**3,93**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	262,9	**3,93**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	263,0	**3,89**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	263,0	**3,94**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	262,8	**3,98**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	262,9	**3,90**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	262,9	**3,94**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	263,0	**3,87**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	264,4	**4,00**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	264,5	**3,97**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	264,5	**4,01**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	264,0	**3,96**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	263,9	**4,01**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	264,0	**3,93**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	264,0	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	263,8	**4,02**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	263,8	**4,07**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	263,9	**3,98**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	264,0	**3,90**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	263,5	**3,97**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	263,4	**3,97**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	263,4	**4,02**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	263,5	**3,94**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	263,2	**4,07**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	263,3	**4,03**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	263,4	**3,95**	si
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	263,1	**4,12**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 94 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	263,2	**4,04**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP0801HT8JP-E	268,4	**3,82**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	268,3	**3,87**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	268,4	**3,79**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	268,4	**3,83**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	268,4	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1001HT8JP-E	269,0	**3,85**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	268,5	**3,86**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	268,4	**3,86**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	268,4	**3,91**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	268,5	**3,83**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	268,5	**3,87**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E+MMY-MUP1201HT8JP-E	268,0	**3,81**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	269,0	**3,89**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	268,5	**3,85**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	268,5	**3,89**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	268,3	**3,94**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	268,4	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	268,4	**3,94**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	268,5	**3,82**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	268,5	**3,87**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	270,0	**3,92**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	270,0	**3,96**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	269,4	**3,96**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	269,5	**3,93**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	269,5	**3,97**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	269,3	**4,02**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	269,4	**3,94**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	269,4	**3,98**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	269,5	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	269,0	**3,92**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	268,9	**3,97**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	269,0	**3,89**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	269,0	**3,93**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	268,8	**3,98**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	268,8	**4,02**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	268,9	**3,94**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	269,0	**3,87**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	268,6	**4,07**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	268,7	**4,03**	si
Toshiba	SMMSu 96 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	268,8	**3,95**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP0801HT8JP-E	273,8	**3,83**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	273,9	**3,79**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	273,9	**3,83**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1001HT8JP-E	274,0	**3,82**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	273,9	**3,86**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	274,0	**3,79**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	274,0	**3,83**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	274,0	**3,87**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1201HT8JP-E	274,5	**3,84**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	274,0	**3,85**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	273,9	**3,86**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	273,9	**3,90**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	274,0	**3,82**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	274,0	**3,86**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	275,5	**3,92**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	275,0	**3,89**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	275,0	**3,93**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	274,8	**3,97**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	274,9	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	274,9	**3,98**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	275,0	**3,86**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	275,0	**3,90**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	274,4	**3,93**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	274,5	**3,89**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	274,5	**3,93**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	274,3	**3,98**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	274,4	**3,90**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	274,4	**3,94**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	274,5	**3,86**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	274,2	**3,98**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	274,2	**4,03**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	274,3	**3,95**	si
Toshiba	SMMSu 98 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	274,4	**3,87**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP0801HT8JP-E	279,4	**3,76**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	279,4	**3,79**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1001HT8JP-E	279,4	**3,82**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	279,5	**3,79**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	279,5	**3,83**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1201HT8JP-E	279,5	**3,81**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	279,4	**3,86**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	279,5	**3,79**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	279,5	**3,82**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	279,5	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E+MMY-MUP1401HT8JP-E	281,0	**3,88**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	280,5	**3,88**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	280,4	**3,89**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	280,4	**3,93**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	280,5	**3,86**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	280,5	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	280,0	**3,85**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	280,0	**3,89**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	279,8	**3,93**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	279,9	**3,90**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	279,9	**3,94**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	280,0	**3,82**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	280,0	**3,86**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	279,7	**3,98**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	279,8	**3,90**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	279,8	**3,94**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	279,9	**3,87**	si
Toshiba	SMMSu 100 HP Heavy Protection	MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	280,0	**3,80**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP0801HT8JP-E	284,9	**3,76**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1001HT8JP-E	285,0	**3,75**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	285,0	**3,79**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1201HT8JP-E	284,9	**3,82**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	285,0	**3,79**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	285,0	**3,82**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1401HT8JP-E	286,0	**3,84**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	285,9	**3,89**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	286,0	**3,82**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	286,0	**3,86**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	286,0	**3,90**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	285,5	**3,85**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	285,4	**3,86**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	285,4	**3,90**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	285,5	**3,82**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	285,5	**3,86**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	285,2	**3,94**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	285,3	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	285,3	**3,94**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	285,4	**3,83**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	285,4	**3,87**	si
Toshiba	SMMSu 102 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	285,5	**3,80**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP0801HT8JP-E	290,4	**3,72**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1001HT8JP-E	290,5	**3,76**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1201HT8JP-E	290,5	**3,75**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	290,5	**3,79**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1401HT8JP-E	291,4	**3,85**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	291,5	**3,82**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	291,5	**3,86**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E+MMY-MUP1601HT8JP-E	291,0	**3,81**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	290,9	**3,86**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	291,0	**3,79**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	291,0	**3,82**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	291,0	**3,86**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	290,8	**3,86**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	290,8	**3,90**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	290,9	**3,83**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	290,9	**3,87**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	291,0	**3,76**	si
Toshiba	SMMSu 104 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	291,0	**3,80**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1001HT8JP-E	296,0	**3,72**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1201HT8JP-E	296,0	**3,75**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1401HT8JP-E	297,0	**3,78**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	297,0	**3,82**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1601HT8JP-E	296,4	**3,82**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	296,5	**3,79**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	296,5	**3,82**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	296,3	**3,86**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	296,4	**3,80**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	296,4	**3,83**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	296,4	**3,87**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	296,5	**3,77**	si
Toshiba	SMMSu 106 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	296,5	**3,80**	si
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1201HT8JP-E	301,5	**3,72**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1401HT8JP-E	302,5	**3,78**	si
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1601HT8JP-E	302,0	**3,75**	si
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	302,0	**3,79**	si
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E+MMY-MUP1801HT8JP-E	301,8	**3,83**	si
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	301,9	**3,80**	si
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	301,9	**3,83**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	302,0	**3,73**	si
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	302,0	**3,77**	si
Toshiba	SMMSu 108 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	302,0	**3,80**	si
Toshiba	SMMSu 110 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1401HT8JP-E	308,0	**3,75**	si
Toshiba	SMMSu 110 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1601HT8JP-E	307,5	**3,76**	si
Toshiba	SMMSu 110 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP1801HT8JP-E	307,4	**3,76**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 110 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	307,4	**3,80**	si
Toshiba	SMMSu 110 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E+MMY-MUP2001HT8JP-E	307,5	**3,73**	si
Toshiba	SMMSu 110 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	307,5	**3,77**	si
Toshiba	SMMSu 110 HP Heavy Protection	MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	307,5	**3,80**	si
Toshiba	SMMSu 112 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1601HT8JP-E	313,0	**3,72**	si
Toshiba	SMMSu 112 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP1801HT8JP-E	312,9	**3,76**	si

Toshiba Italia Multiclima
Divisione di Beijer Ref Italy S.r.l.
Telefono +39 02.252942.1 – Fax +39 02.25294295
www.toshibaclima.it
info.toshiba@toshiba-hvac.it

POMPE DI CALORE ELETTRICHE

Tipologia	Denominazione commerciale			
aria/aria	VRF/VRV	COP minimo	3,9	(on-off)
	>35 kW	COP minimo	3,705	(inverter)

Marca	Modello	Codice identificativo unità esterna	Potenza termica nominale (kW)	COP	Presenza inverter
Toshiba	SMMSu 112 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2001HT8JP-E	313,0	**3,73**	si
Toshiba	SMMSu 112 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	313,0	**3,77**	si
Toshiba	SMMSu 114 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP1801HT8JP-E	318,4	**3,73**	si
Toshiba	SMMSu 114 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	318,5	**3,74**	si
Toshiba	SMMSu 116 HP Heavy Protection	MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2401HT8JP-E+MMY-MUP2201HT8JP-E+MMY-MUP2201HT8JP-E	324,0	**3,71**	si